

### INGCO RANGE OF TOOLS

Code	Name	Picture	Description	Retail Price exc VAT	VAT	Total Price
CDT02180	Cordless Drill 18V		Drill volts:18V No load speed:0-550rpm Chuck:10mm keyless chuck Torque settings:15+1 Light weight design Including 1pcs battery pack Including 1pcs 3-5Hr charger Packed in color box	55.19	8.28	63.47
CDT207180	Cordless Drill 18V		Drill volts: 18V 2 mechanical durable gear box No load speed:0-350/0-1000rpm 10mm keyless chuck Torque settings:23+1 LCD battery indicator Including 2pc battery pack Including 1pc 3-5Hr charger Including 47pcs accessories Packed in Ingco designed BMC	124.52	18.68	143.19
CS1036	Cordless Screwdriver 3.6V		No load speed: 180 rpm 8 setting torque adjustment Max torque control:3.5 N.m LED light for dim place work Battery power indicator Forward and reverse rotation Including 1pc 5-7Hr charger Including 22pcs accessories	30.75	4.61	35.36
CS0848	Cordless Screwdriver		Screwdriver volts:3.6V No load speed:190 rpm Max torque control:3.7 N.m LED light for dim place work Shaft lock,can be used by manual Forward and reverse rotation Including 1pc 3-5Hr charger Including 2pcs 50mm bits and 1pcs magnetic bit holder	38.43	5.76	44.20
CDL1205180	Li-ion Cordless Drill		Drill voltage: 18V Two speed:0-350/0-1250rpm Max torque force:25NM 13mm keyless chuck 755# motor With LED light With LCD battery indicator 24 torque control With 2pcs battery pack	267.48	40.12	307.60
AG6502	Angle Grinder 650W		Voltage: 220-240V~50Hz Input power: 650W No load speed: 11000rpm Disc diameter:100mm Spindle thread:M10 Including 1pcs auxiliary handle Packed in color box	50.73	7.61	58.34

AG6801	Angle Grinder 680W		Voltage: 220-240V~50Hz Input power: 680W No load speed: 11000rpm Disc diameter:115mm Spindle thread:M14 Including 1pcs auxiliary handle Packed in color box	46.80	7.02	53.82
AG9501	Angle Grinder 950W		Voltage: 220-240V~50Hz Input power: 950W No load speed: 11000rpm Disc diameter:125mm Including 1pcs auxiliary handle Packed in color box	53.80	8.07	61.87
AG23508	Angle Grinder 2350W		Voltage: 220-240V~50Hz Input power: 2350W No load speed: 6000rpm Disc diameter:230mm Durable aluminum gear box 1pcs auxiliary handle Packed in color box	119.60	17.94	137.54
ID211002	Impact Drill 1100W		Input power: 1100W No load speed: 0-2800rpm Max drilling capacity:16mm Variable speed Froward/Reverse switch Aluminum durable gear box Hammer function	107.12	16.07	123.19
ID11003	Impact Drill 1100W		Input power: 1100W No load speed: 0-2800rpm Max drilling capacity:13mm Variable speed Froward/Reverse switch Aluminum durable gear box	66.10	9.92	76.02
ID11003.1	Impact Drill 1100W		Input power: 1100W No load speed: 0-2800rpm Max drilling capacity:13mm Variable speed Froward/Reverse switch Aluminum durable gear box Hammer function	77.25	11.59	88.84
ID8502	Impact Drill 8502		Voltage: 220-240V~50Hz Input power: 850W No load speed: 0-2400rpm Max drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Packed in color box	53.94	8.09	62.04
ID6008	Impact Drill 600W		Voltage: 220-240V~50Hz Input power: 600W No load speed: 0-3000rpm Max drilling capacity:13mm Variable speed Froward/Reverse switch Hammer function Packed in color box	44.85	6.73	51.58

<p><b>MX11001</b></p> <p><b>INDUSTRIAL</b></p>	<p>MIXER</p>		<p>Voltage: 220-240V~50Hz  Input power: 1100W  No load speed: 0-550rpm  Aluminum gear box and body  Including 1pcs mixing paddle  Ø57mm X 350mm  1pcs key chuck(1.5-13mm)  2pcs auxiliary handle  1pcs connecting link(M14)</p>	<p>103.69</p>	<p>15.55</p>	<p>119.25</p>
<p><b>MX214001</b></p>	<p>MIXER</p>		<p>Voltage: 220-240V~50Hz  Input power: 1400W  No load speed:180-460rpm,300-700rpm  Whisk size:M14  Including one pcs mixing paddle (Ø max.):120mm  Aluminum gear box and body</p>	<p>144.71</p>	<p>21.71</p>	<p>166.42</p>
<p><b>PED4501</b></p>	<p>Electric Drill 450W</p>		<p>Voltage: 220-240V~50Hz  Input power: 450W  No load speed: 0-2500rpm  Chuck capacity: 1.0-10mm  Max drilling capacity:  10mm in steel  25mm in wood  Packed by color box</p>	<p>52.27</p>	<p>7.84</p>	<p>60.11</p>
<p><b>PED7002</b></p>	<p>Electric drill 700W</p>		<p>Voltage: 230V-240V~50Hz  Input power: 700W  No load speed: 0-1200rpm  Chuck capacity: 1.5-13mm  Max drilling capacity:  10mm in steel  25mm in wood  Packed by color box</p>	<p>79.24</p>	<p>11.89</p>	<p>91.12</p>
<p><b>AP12001</b></p>	<p>Angle Polisher 1200W</p>		<p>Voltage: 220-240V~50Hz  Input power: 1200W  No load speed: 900-3800rpm  Disc diameter:180mm  Durable aluminum gear box  Including 1pcs polishing pad  Including 1pcs polishing bonnet  Packed in color box</p>	<p>97.24</p>	<p>14.59</p>	<p>111.82</p>
<p><b>HG200013.2</b></p>	<p>Heat Gun 2000W</p>		<p>Voltage: 220-240V~50Hz  Input power:2000W  Temperature:350°C/550°C  Airflow:300/500 L/min  Soft paint grip for comfortable hold  Including 1pcs scraper and 4pcs nozzles  Packed by color box</p>	<p>29.25</p>	<p>4.39</p>	<p>33.64</p>

<b>RH15003</b>	Rotary Hammer 1500W		<p>Voltage: 220-240V~50Hz  Input power: 1500W  No load speed: 750rpm  Impact rate:3000bpm  Impact energy:5J  Drilling capacity:  Concrete:36mm Steel:13mm  Wood:40mm  SDS plus chuck system for tight grip  Including 3 drills and 2 chisels</p>	207.53	31.13	238.66
<b>PDB17002</b>	Demolition breaker		<p>Input power: 1700W  Impact rate: 1300bmp  Impact force: 45J  16Kg Demolition breaker  SDS hex system for tight grip  Soft grip handle for comfortable hold  Including 2pcs chisels</p>	509.39	76.41	585.80
<b>PDB20501</b>	Demolition breaker		<p>Voltage: 220-240V~50Hz  Input power: 2050W  Impact rate: 1300bmp  Impact force: 50J  30Kg Demolition breaker  SDS hex system for tight grip  Soft grip handle for comfortable hold  Including 2pcs chisels  Packed in INGCO design plastic case</p>	961.27	144.19	1,105.46
<b>DBC0112501</b>	SDS Plus Chisel		<p>14X250mm,pointed  Suitable for INGCO RH15003  Packed by plastic hanger</p>	3.58	0.54	4.11
<b>DBC0224001</b>	SDS Max Chisel		<p>18 X400X 25mm,flat  Suitable for INGCO item RH17001  Packed by plastic hanger</p>	8.00	1.20	9.19
<b>DBC0324102</b>	Hex Chisel		<p>30 X410X 40mm,flat  Suitable for INGCO breaker  PDB17002  Packed by plastic header</p>	25.22	3.78	29.00
<b>RH17001</b>	Breaker with hammer function		<p>Voltage: 220-240V~50Hz  Input power: 1700W  No load speed: 125-250rpm  Impact rate:795-1950bpm  Impact energy:27J  Drilling capacity:  Concrete:65mm  Hammering and chiseling function  Vibration absorbed handle</p>	585.55	87.83	673.39

<b>IW9001</b>	Impact Wrench 900W		Voltage: 220-240V~50Hz Input power: 900W No load speed: 2100rpm Max torque:220FT.LBS Aluminium gear box for durability Including 4pcs sockets(17mm, 19mm, 21mm,23mm) Packed by blow mould case	128.91	19.34	148.24
<b>JS7503</b>	Jig Saw 750W		Input Power:750W No load speed:500-3000rpm Cutting capacity: 110mm in wood 10mm in steel 4 step pendulum function Including 1pcs dust tube	98.47	14.77	113.24
<b>JS3502</b>	Jig Saw 350W		Input Power:350W No load speed:500-3000rpm Cutting capacity: 55mm in wood 6mm in steel Including 1pcs dust tube	36.13	5.42	41.54
<b>JS5201.2</b>	Jig Saw 520W		Input Power:520W No load speed:500-3000rpm Cutting capacity: 55mm in wood 6mm in steel 4 step pendulum function Packed in color box	49.82	7.47	57.29
<b>MG1301.1</b>	Mini Drill Kit 130W		Input power:130W No load speed:8000-30000rpm Collect size:3.2mm Spindle lock for accessories change Variable speed for different work With 1 pcs flexible shaft	41.97	6.30	48.26
<b>FS2902</b>	Finishing sander 290W		Input power:190W No load speed:13000 rpm Bottom base: 187mmx90 mm Aluminum durable base Automatic dust extraction Including 1pcs dust box	63.59	9.54	73.12
<b>PL9001</b>	Electric Planer 900W		Input Power:900W No-load speed:15000rpm Planing width&depth:82x3mm Aluminum front base and side cover for long tool life Accessories storage in machine for convenient use	93.86	14.08	107.93
<b>CS1858</b>	Circular Saw 1300W		Voltage: 220-240V~50Hz Input Power:1300W No-load speed:4700rpm Cutting capacity: 45 degree:44mm 90 degree:65mm Dia of blade: 185mm Adjustable cutting depth Adjustable bevel cutting 0-45° Packed in color box	92.63	13.89	106.52








RS4501.2	Rotary sander		<p>Voltage: 220-240V~50Hz  Input Power:450W  No load speed: 4000-13000rpm  Dia of sanding pad: 150mm  Velcrops base,Variable speed  With 150mm base PU base  Soft grip for comfortable hold  Packed in color box</p>	77.91	11.69	89.60
<b>PBS12001</b> <b>INDUSTRIAL</b>	Belt sander		<p>Voltage: 220-240V~50Hz  Input power:1200W  No load speed: 500m/min  Sanding belt size: 610x100mm  Quick release belt change system  Dust suction facility with dust bag  Wide sanding belt for fast chip removal  Aluminum housing base  Packed by color box</p>	153.73	23.06	176.78
BS8102	Belt Sander 810W		<p>Voltage: 220-240V~50Hz  Input power:810W  Sanding belt size: 533x76mm  Sanding belt speed: 200-380m/min  Quick release belt  Including 1pcs dust bag,1pcs belt  Packed in color box</p>	90.47	13.57	104.05
MC12002	Marble cutter		<p>voltage: 220-240V~50Hz  Input power: 1200W  No load speed: 11000rpm  Dia of blade:110mm  Max cutting capacity:34mm  Aluminium guard for safety operation  Adjustable cutting depth  With 1pcs Diamond blade  Packed in color box</p>	76.86	11.53	88.39
ESD5501	Screwdriver 550W		<p>Voltage: 220-240V~50Hz  Input power: 550W  No load speed: 0-2500rpm  Bit shank:6mm(1/4") Hex  Aluminium gear box for durability  Including 6pcs screwdriver bits  Packed bycolor box</p>	87.62	13.14	100.77

<b>RT16001</b>	Electric Router 1600W		<p>Voltage: 220-240V~50Hz  Input Power:1600W  No-load speed:11000-28000rpm  Diameter of collet:  12mm and 8mm  Cutting depth:55mm  Finger depth adjustment  LED light for working in dim place  8, 12mm collect, 1pcs coping ring, 1pcs  aluminium guide fence, 2pcs parallel  guide, 1pcs spanner, 1pcs centring pin  Packed in color box</p>	136.05	20.41	156.45
<b>RT10501</b>	Electric Router 1050W		<p>Voltage: 220-240V~50Hz  Input Power:1050W  No-load speed:13000-30000rpm  Diameter of collet:6mm and 8mm  Cutting depth:55mm  Dust extraction port  Including 1pcs parallel guide  6, 8mm collect, 1pcs coping ring  Packed in color box</p>	91.33	13.70	105.03
<b>AB4001</b>	Aspirator Blower 400W		<p>Rated voltage: 230V~50Hz  Input power:400W  No load speed:12000rpm  Max blowing rate:2.5m³/min  With 1pcs dust bag  Packed by color box</p>	25.52	3.83	29.35
<b>AB7501</b>	Aspirator Blower 750W		<p>Rated voltage: 220-240V~50Hz  Input power:750W  No load speed:0-13000rpm  Variable speed  Max blowing rate:3.5m³/min  With 1pcs flexible tube  With 2pcs suction nozzles  Packed by color box</p>	77.71	11.66	89.37
<b>GG141</b>	Glue gun		<p>Voltage: 220-240V~50Hz  Input power:100W  Gluing capacity : 10-15g/min  Glue stick diameter:11.2mm  Ideal for adhesive attachment,  model making, repairing, sealing  and jointing  Mechanical feed system for sensitive</p>	7.34	1.10	8.44
<b>AKTGS2401</b>	Glue stick set		<p>24pcs 11.2x200mm sticks  Packed by Polybag with header</p>	5.48	0.82	6.30

SPG601	Spray Gun		Voltage: 220-240V~50Hz Input power:60W Capacity of spray:160ml/min Capacity of bottle: 700ml Dia of spray nozzle:0.6/0.8mm Including 1pcs viscosity cup Packed in color box	33.67	5.05	38.72
PTWT215002	Plastic tube Welding Tools		220~230v,50Hz Power 800W 1500W This is a set with heating sockets 20、25、32、40、50、63mm Thermoregulator 0 - 300°C with 1pcs measuring tape;1 pcs spirit level;1pcs pipe cutter. Packed by steel box	96.62	14.49	111.12
EH5001	Electric Hoist 900W		Input power:900W Lifting weight: 250Kgs(Single line) 500Kgs(Double line) Lifting height:12m(Single line),6m(Double line) Lifting speed:10m/min(Single	286.70	43.00	329.70
HCBK0101	Chain block		<b>Rating lift weight:1Ton</b> <b>Lift height:2.5m</b> Number of load chain:1 Packed by color box	115.29	17.29	132.59
HCBK0102	Chain block		<b>Rating lift weight:2Ton</b> <b>Lift height:2.5m</b> Number of load chain:2 Packed by color box	161.55	24.23	185.78
HCBK0103	Chain block		<b>Rating lift weight:3Ton</b> <b>Lift height:3m</b> Number of load chain:2 Packed by color box	236.18	35.43	271.60
HCBK0105	Chain block		<b>Rating lift weight:5Ton</b> Lift height:3m Number of load chain:2 Packed by color box	320.03	48.00	368.03
SS852	Scroll saw		<b>Voltage: 220-240V~50Hz</b> <b>Input power: 85W</b> No load speed: 1450m/s Max cutting depth:50mm Max cutting width:410mm Table size:375*250mm Table tilting range:0-45° Blade size:133*2.6*0.25mm(18TPI)	169.00	25.35	194.35



<b>COS3556</b>	Cut off Saw		<p>Voltage: 220-240V~50Hz  <b>Input power: 2000W</b>  Blade size:355x25.4x3mm  <b>No load speed: 3800rpm</b>  Max cutting capacity:  100mm in round pipe  100X100mm in square steel  130X105mm in rectangel  Cutting in light pipe,tubing,conduit,  channel and so on  Spark diversion guard for safety  operation  Packed by color box</p>	211.25	31.69	242.94
<b>BMS14002</b>	Miter Saw 1400W		<p>Input power: 1400W  No load speed:5000rpm  Blade diameter:210mm  Aluminum base make working more  stable  Max. cutting capacity:55*120mm  Positive stops at 9 settings right/left  TCT blade for precision cutting</p>	141.71	21.26	162.96
<b>BMS16001</b>	Miter Saw 1600W		<p>Voltage: 220-240V~50Hz  Input power: 1600W  No load speed:2800rpm  Blade diameter:305mm  Max. cutting capacity:95x150mm  Induction motor with copper wire  TCT blade for precision cutting  Aluminum base  iter cuts 0-45° lesf and right  Bevel cuts up to 45° to the left</p>	418.37	62.76	481.13
<b>BM2S18004</b>	Miter Saw 1800W		<p>Input power: 1800W  No load speed:4500rpm  Blade size:254mm  Table turning range: 0-45° left&amp;right  Saw body tilting range:0-45°  Saw body sliding range:235mm  Max cutting capacity:90x305mm  Positive stop at 9 settings right or left  Aluminum base</p>	432.20	64.83	497.04
<b>DP133505</b>	Drill Press 350W		<p>Input power: 350W  Spindle speed settings:5  No load speed: 580-2650 rpm  Max drilling capacity:13mm  Spindle travel:50mm  Column diameter:46mm  Table size:160*160 mm</p>	198.25	29.74	227.99
<b>BG83502</b>	Bench Grinder 350W		<p>Voltage: 220-240V~50Hz  Input power: 350W  No load speed:2950rpm  Wheel size:200 mm  Adjustable work rest  Including 1 set eye shield  Packed in color box</p>	93.35	14.00	107.36



<b>BGL63501</b>	Bench Grinder 350W		Input power:350W No load speed:2950rpm Wheel size:150 mm Work light for automatic illuminate your work area Ball bearing support motor shaft Including 1 set eye shield	105.39	15.81	121.19
<b>BGL85201</b>	Bench Grinder 520W		Voltage: 220-240V~50Hz Input power:520W No load speed:2950rpm Wheel size:200 mm On-board wheel dressing tool for wheel sharpening Including 1 set eye shield Including 1pc work light	175.06	26.26	201.32
<b>BG61502</b>	Bench Grinder 150W		Voltage: 220-240V~50Hz Input power:150W No load speed:2950rpm Wheel size:150 mm Adjustable work rest Including 1 set eye shield Packed in color box	49.35	7.40	56.75
<b>BG683501</b>	Wet/Dry Bench Grinder 350W		Voltage: 220-240V~50Hz Input power:350W No load speed:2950rpm/134rpm Wheel size:150mm/200mm Powerful induction motors ensures smooth running Including 1 pc eye shield Including 1pc work light	138.90	20.83	159.73
<b>BGB63501</b>	Bench and Belt Sander 350W		Voltage: 220-240V~50Hz Input power:350W No load speed:2950rpm Wheel size:150mm Belt size:50x686mm Ball bearing support motor shaft Including 1 pc eye shield	138.90	20.83	159.73
<b>TS15004</b>	Table saw		Input power: 1500W No load speed: 4500rpm Blade diameter:254mm Max cutting capacity:80mm (90°) 55mm(45°) Table size:725*520mm Positive stops at 90° and 45° 4-leg steel stand for rigidity and stability 440*125mm left &right	552.01	82.80	634.81
<b>ING-MMAC2002</b>	MMA-Welding machine		Input voltage(V):230/400 Frequency(HZ):50/60 Rated input capacity(KVA):7.5 No load voltage(V):48 Output current(A):60-200 Max output current(A):200 Duty cycle(%):200A@10% Electrode size(mm):ø2.5-4 Net weight(Kg):22.5 Packed in color box	202.64	30.40	233.03

ING-MMA2003	Inverter MMA-Welding Machine		Input voltage(V):220-240 Frequency (HZ) :50/60 Rated input capacity(KVA):7.5 No load voltage(V):62 Output current(A):10-200 Max output current(A):200 Duty cycle(%):200A@60% Electrode size(mm):ø1.6-5.0	353.64	53.05	406.68
ING-CB1601	Battery Charger		Input voltage(V):230 Frequency (HZ):50/60 Charging voltage(V):12/24 Rated current(A):9/4 Boost current(A):12 Reference capacity(A):28-180 Insulation class:H Weight(Kg):5.6 Packed in color box	76.09	11.41	87.51
ING-CD2201	Batter Charger		Frequency (HZ) :50/60 Charging voltage(V):12/24 Rated current(A):16/18 Boost current(A):20 Reference capacity(A):70-300 Insulation class:H Weight(Kg):15 Packed in color box	210.30	31.54	241.84
LM383	Electric Lawn Mower 1600W		Voltage:220V-240~50Hz Input Power:1600W No-load speed:2800rpm Cutting width:380mm Cutting height:28/38/48/58/68mm Grass box size:50L With 0.35m power cord Packed by color box	362.02	54.30	416.33
GWP301	Gasoline Pump Water		Suction&Discharge port diameter:75mm,3" Discharge capacity:1000L/mini Max.head lift:28m Max.suction head:8m Rotation speed:3600rpm 6.5HP gasoline engine Displacemtn.:196cc Fule tank:3.6L Fuel consumption:337ml/h Net weight:30Kgs Packed in color box	343.09	51.46	394.55
GCP100-1	Gasoline Plate Compactor		Engine:Honda GX160 Engine power:4.0Kw(5.5HP) Compactor weight:100Kgs Frequency:6500VPM Centrifugal Force:19.8kN Compaction Depth:30cm Travel Speed:48cm/s Efficiency:780M2/Hr Plate size:61x46cm Packed by carton box	1,628.09	244.21	1,872.30

GVR-2	Gasoline Concrete Vibrator	 	<p>Engine:INGCO  Engine power:4.0Kw(5.5HP)  Weight:31Kgs  Dapanac type coupling  vibrator poker Included  Packed by carton box</p>	552.50	82.88	635.38
VBP0381	Vibrator Poker		<p>Diameter:38mm  Head length:580mm  Dapanac type fitting  Vibrating frequency:200Hz  Vibrating amplitude:1.2mm  Flexible hose length:6m  Flexible hose diameter:30mm  Flexible shaft diameter:10mm  Packed by carton box</p>	182.00	27.30	209.30
GWP201	2" Gasoline Water Pump		<p>diameter:50mm,2"  Discharge capacity:550L/min  Max.head lift:26m  Max.suction head:8m  Rotation speed:3600rpm  Engine type:4 stroke,air cooled  5.5HP gasoline engine  Displacemetn::163cc  Fule tank:3.6L  Starter:recoil  Net weight:27Kgs</p>	286.49	42.97	329.46
AC301006	Air compressor		<p>Voltage:230V,50Hz  <b>Power: 2.2 kW (3 HP)</b>  Speed:1100rpm  <b>Tank:100L(26.4Gal)</b>  Operationg pressure:max.8bar  High running time  <b>Belt driving system</b>  <b>2 cylinder compressor</b>  Pump lubricated with oil  Packed by carton</p>	578.50	86.78	665.28

AC25506	Air Compressor		<p>Voltage:230V,50Hz  Power: 1.8 kW (2.5 HP)  Speed:2850rpm  Tank:50L(13.2Gal)  Work Pressure:8bar(116Psi)  Transport handle  Wheels for easy transport  Base foot with vacuum cup function  Drain cock  Pressure controller  Pressure gauge and quick coupling for regulated working pressure  Intake filter  Non-return valve  Safety valve  Pump lubricated with oil  Packed by color box</p>	286.49	42.97	329.46
HPWR17001	High pressure washer		<p>Voltage: 220-240V~50Hz  <b>Induction Motor</b>  <b>Input power:1700W</b>  <b>Rated Pressure:110Bar (1600PSI)</b>  <b>Max Pressure:150Bar (2200PSI)</b>  <b>Flow rate:6.7L/min</b>  <b>Accessories included:</b>  1pcs water metal spray gun  1pcs high pressure hose(5m)  1pcs water input hose(2m)  Packed by color box</p>	299.00	44.85	343.85
GRG021601	Grease Pump		<p>16kg Grease Pump  Capacity: 16kg  Barrel diameter: 220mm  Height: 380mm  Hose length: 1500mm  Pressure: 3000psi  Material: Steel  rubber hand  Packed by carton box</p>	89.44	13.42	102.86
GRG015001	Grease Gun		<p>500g Grease Gun  Capacity: 500g  Leight: 400mm  Pressure: 6000-8000psi  Material: Steel  rubber hand  Packed by color box</p>	14.67	2.20	16.87

ACN50401	2 in 1 Nailer and Stapler		<p>Operation pressure: 4-7Mpa(60-100Psi)  Magazine capacity:100Pcs  Brad size:15-50mm  Ga18,1.25X1.0mm  Staple size:16-40mm  Ga18,1.25X1.0mm  Staple crown:5.7mm  Including 1000pcs brad nails+1000pcs staples  Packed in color box</p>	47.04	7.06	54.10
APS16401	Air Stapler		<p>Operation pressure: 4-7bar(60-100Psi)  Magazine capacity:100 Pcs  Staple:16-40mm  Ga18,1.25x1.00mm  Stapler magazine:5.7mm  Machine weight:1.55Kgs  Remain nails displayable  Including 1000pcs staples  Packed in color box</p>	36.59	5.49	42.07
ABN15501	Air Brad Nailer		<p>Operation pressure: 0.5-0.7Mpa(75-100Psi)  Load capacity:100pcs  Brad size:15-50mm  Ga18,1.25x1.00mm  Including 1000pcs brad nails  Packed in color box</p>	46.12	6.92	53.04
APS04161	Air Stapler		<p>Operation pressure: 4-7bar(60-100Psi)  Magazine capacity:180 Pcs  Stapler:4-16mm  Ga22,0.75x0.6mm  Stapler magazine:10.0mm  Machine weight:1.35Kgs  Including 1000pcs staples(10mm)  Packed in color box</p>	36.59	5.49	42.07
AIW12561	1/2" Air Impact Wrench		<p>Square drive:12.5mm(1/2")  Free speed rpm:7500  Air Consumption: 5.0cfm 142.5l/min  Max.Torque:420ft 567Nm  Twin hammer mechanism  Air Pressure:90psi,6.2bar  Length:7.3",185mm  Weight:5.7lbs,2.6kgs  Air Inlet:1/4" Air hose:3/8"  Packed in color box</p>	115.69	17.35	133.04
AH1151	Air hose		<p>Material:PU  Length:15M  Diameter:6/8mm  Packed by shrink</p>	13.84	2.08	15.91

ASG4041	Spray Gun		Type of feed:Gravity Standard nozzle:1.5mm Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Pattern width:180-250mm Air cons:4.2-7.1cfm(119-200l/min) Paint capacity:400cc Packed in color box	21.66	3.25	24.91
APS1501	Air Sander		5" Air Sander self vacuuming Sanding Pad:6"(150mm) Free Speed RPM:10000 Air Inlet(PT):1/4" Air Hose(ID):3/8" Air Consumption:2.8cfm(79.2l/min) Air pressure:90PSI,6.2bar Net Weight:2.53Lbs;1.15Kgs Sug.Air Comp.(Hp):2 Packed in color box	67.42	10.11	77.53
AKT0051	Air Tools 5 pcs set		Recorri hose Length:5m,Diameter:8mm with 1/4" body quick coupler Air blow gun air inlet:G1/4" rated pressure:≤100PSI max pressure:150PSI Air spray gun air inlet:G1/4"	45.35	6.80	52.15
ASG3101	Spray Gun		Type of feed:Gravity Standard nozzle:1.5mm Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Pattern width:180-250mm Air cons:4.2-7.1cfm(119-200l/min) Paint capacity:1000cc Packed in color box	23.06	3.46	26.52
AWG1001	Washing gun		Nozzle size:215mm Washing capacity:0.75L Operation pressure:4bar Packed in color box	12.69	1.90	14.59
GGT25381	Gosoline Grass Trimmer		Max speed: 8140rpm Max cutting path:380mm Spool line:2mmx5m Fuel tank capacity:500ml Powerful 2-stroke motor Dual line bump feed spool head Second handle for comfortable use Bent shaft can be disassembled Packed by color box	176.78	26.52	203.30
GT3501	Grass Trimmer 350W		Voltage:220V-240~50Hz Input power:350W No load speed: 11000rpm Cutting diameter:250mm Comfortable and large gripping Packed by color box	35.36	5.30	40.66









<b>GT6001</b>	Grass Trimmer 600W		Voltage:220V-240~50Hz Input power:600W No load speed: 11000rpm Cutting diameter:300mm Telescopic shaft Rotating handle Packed by color box	59.15	8.87	68.02
<b>GBC32441</b>	Grass Trimmer		Displacement:32cc Max speed: 10500rpm Max cutting path:440mm Spool liner:2.5mmx4mm Blade diameter:230mm(3teeth) Fuel tank capacity:500ml Powerful 2-stroke motor Two function:trimmer and cutter Bent shaft can be disassembled Packed by color box	249.80	37.47	287.27
<b>GCS45182</b>	45cc Gasoline Chain Saw		Displacement:45.02cc Rated power:1.45Kw Idling speed:2800rpm Max. cutting diameter:445mm(18") Fuel tank capacity:550ml Oil tank capacity:260ml	307.45	46.12	353.57
<b>GCS45182/B</b>	Cutter Bar		Spare Part- Chain Saw	55.90	8.39	64.29
<b>GCS45182/C</b>	Chain		Spare Part- Chain Saw	39.00	5.85	44.85
<b>BV24001</b>	Blower vaccum		Voltage:220V-240~50Hz Input power:2400W No load speed:6000-13000rpm Wind speed:210km/h Airflow:2500-13000l/h Packed by color box	82.73	12.41	95.14
<b>ABG031</b>	Air Blow Gun		Nozzle size:3mm Packed in single blister	4.23	0.64	4.87
<b>BAT02180</b>	Battery Pack		Volts:18V Suitable for INGCO CDT02 series cordless drills	31.21	4.68	35.89
<b>BAT07120</b>	Battery Pack		Volts:12V Suitable for INGCO CDT07 series cordless drills	27.82	4.17	32.00
<b>BAT02120</b>	Battery Pack		Volts:12V Suitable for INGCO CDT02 series cordless drills	22.14	3.32	25.46
<b>WB11001</b>	Cup wire brush with nut		100mm Wire dia:0.3mm Thread:M14X2 Packed in double blister	3.35	0.50	3.86



<b>WB11251</b>	Cup wire brush with nut		125mm wire:0.35mm Thread:M14X2 Packed in double blister	4.47	0.67	5.14
<b>WB11501</b>	Cup wire brush with nut		150mm wire:0.35mm Thread:M14X2 Packed in double blister	7.27	1.09	8.36
<b>WB20751</b>	Cup twist wire brush with nut		75mm Wire dia:0.5mm Thread:M14X2 Packed in double blister	2.80	0.42	3.21
<b>WB21251</b>	Cup wire brush with nut		125mm wire:0.35mm Thread:M14X2 Packed in double blister	6.57	0.99	7.55
<b>WB40751</b>	Circular Grinding Wire Brush		75mm Shank dia:6.35mm(1/4") Packed in double blister	2.46	0.37	2.83
<b>WB40501</b>	Circular grinding wire brush		<b>50mm</b> wire:0.35mm Shank dia:6.35mm Packed in double blister	1.25	0.19	1.44
<b>WB30751</b>	Cup brushes with Shanks		75mm Shank dia:6.35mm(1/4") Packed in double blister	2.70	0.40	3.10
<b>WB30501</b>	Cup brushes with Shanks		50mm Shank dia:6.35mm(1/4") Packed in double blister	2.39	0.36	2.75
<b>AKFS240101</b>	Sanding Sheet		Belter size:90X240mm, Orbital Sander 4pcs P80,4pcs P120,2pcs P180,10pcs/set Suitable for INGCO FS1902 Packed by color box	3.00	0.45	3.46
<b>BSP020801</b>	Abrasive sanding belt		100*610mm,P80,2pcs/set Packed by color box Suitalbe for Ingco PBS12001	2.31	0.35	2.65
<b>BSP010801</b>	Sanding Belt		76X533mm,P80,2pcs/set Packed by color box Suitalbe for Ingco BS8102	3.16	0.47	3.63
<b>APB0111802</b>	Wool Polishing Bonnet		Diameter:180mm Real wool bonnet Packed by plastic bag	7.77	1.17	8.94

<b>CK1301</b>	Chuck key		Key for 13mm key chuck Length:110mm Packed by sliding card	1.96	0.29	2.25
<b>CK1601</b>	Chuck key		Key for 16mm key chuck Length:150mm Packed by sliding card	1.89	0.28	2.17
<b>KC1301.1</b>	13mm key Chuck with Adaptor		Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Including 1pcs adaptor Packed in color box	6.61	0.99	7.60
<b>KC1601</b>	16mm Key Chuck		Chuck capacity:3-16mm Connection size:1/2"-20UNF Packed in color box	12.23	1.83	14.06
<b>KC1301</b>	13mm Key Chuck		Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Packed in color box	5.93	0.89	6.82
<b>EPB820121</b>	Planer Blade		Size:82X5.5X1.2mm,HSS Packed by double blister	4.75	0.71	5.46
<b>PP0201801</b>	Polishing Pad		Diameter:180mm Material:Rubber M14x2 nut Packed by color box	8.61	1.29	9.90
<b>EPB820301</b>	Planer Blade		Size:82X29X3.0mm,HSS Packed by double blister	8.30	1.25	9.55
<b>AKRS125051</b>	Sanding Sheet, Random orbit Sander		125mm,3pcs P80, 2pcs P120,5pcs/set Packed by color box Suitable for Ingco item RS4501	4.00	0.60	4.60
<b>TSB118525</b>	TCT Saw Blade		185mm(7-1/4") 40T,arbor:30mm 16mm and 25.4 ring Suitable for circular saw For INGCO item CS1858	10.76	1.61	12.37
<b>AKD2501</b>	SDS plus Hammer drill bit Set		5x110mm 10pcs 6x160mm 10pcs 8x160mm 5pcs 10x160mm 5pcs 12x160mm 5pcs 8x210mm 5pcs	155.03	23.25	178.28

AKD1251	HSS drill Bit set		25PCS HSS TWIST DRILL KIT Fully ground flute,135° self-centering split point,high quality M2 high speed steel Drill bit size:1-13mm/0.5mm Same as BOSCH quality Packed in plastic box	123.50	18.53	142.03
AKHS702	Hole saw set		7pcs hole saw set Hole saw diameter:26, 32, 38, 45, 50, 56, 63mm Height:50mm(2") Packed by hanger card	5.52	0.83	6.35
JBT101D	Jig Saw Blade for Wood		Clean for wood,HCS,Ground teeth and taper ground,length of tooth:75mm,tooth space:4-5.2mm,Softwood, chipboards, wood core plywood, fibre boards (10-45 mm),5pcs/set,Same as Irwin quality level	7.38	1.11	8.49
JBT111C	Jig saw Blade for wood		Basic for wood,74mm,8TPI, HCS,milled,ideal for soft wood(4-50mm),chipboards,wood core plywood,fibre boards,quick cut,5pcs/set,Same as Irwin quality level	3.54	0.53	4.07
JBT118B	Jig saw Blade for metal		Basic for metal,HSS,wavy set,milled,length of tooth:50mm,tooth space:1.9-2.3mm,Medium-thick sheet metal (2.5-6 mm)5pcs/set Same as Irwin quality level	6.54	0.98	7.52
AKJ0051	Jig saw blade set		2PCS JBT111C for wood 2PCS JBT118B for metal 1PCS JBT127D for Alu 5PCS/set Packed in single blister	4.64	0.70	5.34
AKRT1201	Router Bits Set 6mm	 	12pcs ROUTER BITS SET Shank diameter: 6mm Straight bit D6mm (1/4") Straight bit D8mm(5/16") Straight bit D12mm(15/32") Straight bit D16mm(5/8") Core box bit R6.3mm,D12.7mm(1/2") Core box bit R6.3mm,D22.0mm(7/8") Corner round bit R6.3mm D22mm(7/8") Corner round bit R9.5mm D28.6mm(1 1/8") Dovetail bit 14°,D12,7mm(1/2") Chamfer bit 45°,D32mm(1 1/4") V type bit 90°,D12.7mm(1/2") Roman ogee bit R4mm,D25mm(1") Packed in wooden box	29.64	4.45	34.09

<p><b>AKRT1211</b></p>	<p>Router Bits Set 8mm</p>	 	<p>12pcs ROUTER BITS SET  Shank diameter: 7mm  Straight bit D6mm (1/4")  Straight bit D8mm(5/16")  Straight bit D12mm(15/32")  Straight bit D16mm(5/8")  Core box bit R6.3mm,D12.7mm(1/2")  Core box bit R6.3mm,D22.0mm(7/8")  Corner round bit R6.3mm D22mm(7/8")  Corner round bit R9.5mm D28.6mm(1 1/8")  Dovetail bit 14°,D12,7mm(1/2")  Chamfer bit 45°,D32mm(1 1/4")  V type bit 90°,D12.7mm(1/2")  Roman ogee bit R4mm,D25mm(1")  Packed in wooden box</p>	<p>32.24</p>	<p>4.84</p>	<p>37.08</p>
<p><b>AKRT1221</b></p>	<p>Router Bits Set 12mm</p>	 	<p>12pcs ROUTER BITS SET  Shank diameter: 8mm  Straight bit D6mm (1/4")  Straight bit D8mm(5/16")  Straight bit D12mm(15/32")  Straight bit D16mm(5/8")  Core box bit R6.3mm,D12.7mm(1/2")  Core box bit R6.3mm,D22.0mm(7/8")  Corner round bit R6.3mm D22mm(7/8")  Corner round bit R9.5mm D28.6mm(1 1/8")  Dovetail bit 14°,D12,7mm(1/2")  Chamfer bit 45°,D32mm(1 1/4")  V type bit 90°,D12.7mm(1/2")  Roman ogee bit R4mm,D25mm(1")  Packed in wooden box</p>	<p>34.84</p>	<p>5.23</p>	<p>40.07</p>
<p><b>HUK611</b></p>	<p>Utility Knife</p>		<p>Blade size:61x19mm  SK5 blade  with 6 blades  pack by double blister</p>	<p>4.77</p>	<p>0.71</p>	<p>5.48</p>
<p><b>HUKB611</b></p>	<p>10pcs Utility Knife Blades set</p>		<p>10pcs blade size:61x19mm  SK5 blade  pack by plastic box</p>	<p>1.63</p>	<p>0.24</p>	<p>1.87</p>
<p><b>HTSN0110S</b></p>	<p>Tin Snip</p>		<p>Aviation snip( Straight)  Length:250mm  Packed by double blister</p>	<p>5.93</p>	<p>0.89</p>	<p>6.81</p>
<p><b>HTS0410</b></p>	<p>Tin snip</p>		<p><b>Size:10"</b>  Drop-forged steel  Double dipped grip handle  Packed by plastic hanger</p>	<p>7.05</p>	<p>1.06</p>	<p>8.10</p>

HPUT08150	Putty trowel		Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle	3.55	0.53	4.08
HPUT08060	Putty Trowel		Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle Inner box is color box	2.51	0.38	2.89
HPUT08080	Putty Trowel		Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle	2.77	0.42	3.18
HPUT08100	Putty Trowel		Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle	2.90	0.43	3.33
HGS0128	Glass Scraper		Professional scraper for cleaning snow,frost,dust on glass or tile Length: <b>128mm</b> Packed by half blister	1.30	0.20	1.50
HBT01200	Bricklaying Trowel		Size: 200mm Brick laying trowel ABS plastic handle	3.38	0.51	3.89
ABH20601	Screwdriver bit holder with release		60mm,2pcs/set Material: steel + Cr-v+Aluminum Packed by sliding card	4.33	0.65	4.98
HSDT1901	Screwdriver Tester		Test Voltage:AC 100-500V Slotted size: 4x190mm Packed by plastic hanger Inner box is color box	1.63	0.24	1.87
HSDT1401	Screwdriver Tester		Test Voltage:AC 100-500V Slotted size: 3x140mm Packed by plastic hanger Inner box is color box	0.85	0.13	0.98
HPC0128	Copper and aluminium Pipe cutter		Copper and aluminium pipe cutter Cutting diameter:3-28mm Packed by sliding card	4.16	0.62	4.78
HPC0250	Copper and aluminium Pipe cutter		Copper and aluminium pipe cutter Cutting diameter:5-50mm Packed by color box	13.91	2.09	16.00
HGCT02	Glass cutter		Glass cutter with 6pcs wheels blade length:130mm packed by double blister	2.60	0.39	2.99
HVC01150	Vernier Caliper		Range:0-150mm,reading:0.05mm Packed by plastic box	15.83	2.38	18.21

HVC01200	Vernier Caliper		Range:0-200mm,reading:0.05mm Packed by plastic box	22.22	3.33	25.55
DCM600	1000Amp AC Digital Clamp Meter		DC Voltage 6V/60V/600V±(0.8%+5) 1000V AC Voltage 6V/60V/600V/700V Resistance 600Ω/6kΩ/60kΩ/600kΩ/6MΩ Capacitance	76.40	11.46	87.86
HKNS1802	Snap-Off blade Knife		Blade Size:18mmx100mm With 5pcs blades pack by double blister	4.42	0.66	5.08
HKNS1803	Snap-off blade knife		<b>Blade Size:</b> 18mmx100mm With 1 pcs blade <b>Length:</b> 158mm With flat push button Packed by pp plastic hanger	2.93	0.44	3.36
HKNSB181	10pcs Blade set		10pcs blade size:18x100mm pack by plastic box	0.70	0.10	0.80
HCG0112	Aluminium Caulking Gun		Diameter:51mm with 1pcs plastic adaptor Packed by poly bag	8.73	1.31	10.04
HCG0309	Caulking gun		Caulking gun Iron thickness: <b>0.8mm</b> Length: <b>310mm</b> Diameter: <b>51mm</b> Packed	2.60	0.39	2.99
HFOR321	Folding hand Riveter		Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box	24.46	3.67	28.12
HR103	Hand Riveter		<b>Size:10.5"</b> Applicable rivet <b>size:2.4mm, 3.2mm,4mm,4.8mm</b> <b>Aluminium alloy body</b> Packed by sliding card	9.49	1.42	10.91
HKSS0121	Screwdriver Set		1pc T-bar screwdriver 9pcs sockets 1pc 1/4"x25mm adaptor 10pcs Cr-V bits Packed by sliding card	3.91	0.59	4.50
HKSS0240	Screwdriver Set		14pcs sockets 1pc 1/4"x25mm adaptor 23pcs Cr-V bits 1PC 60mm magnetic holder 1PC Ratchet holder Packed by BMC+color sleeve	8.33	1.25	9.58
HS08T10100	Torx screwdriver		CR-V,T10, Hex shank diameter: 5.0mm length: 100mm Packed by plastic hanger Inner box is color box	1.40	0.21	1.61
HS03T20150	Torx screwdriver		CR-V,T20, Hex shank diameter: 6.0mm length: 150mm Packed by plastic hanger Inner box is color box	1.68	0.25	1.93

<b>HS08PZ1100</b>	Pozidriv screwdriver		CR-V,PZ1, Hex shank diameter: 5.0mm length: 100mm Packed by plastic hanger Inner box is color box	1.40	0.21	1.61
<b>HS08PZ2150</b>	Pozidriv screwdriver		CR-V,PZ2, Hex shank diameter: 6.0mm length: 150mm Packed by plastic hanger Inner box is color box	2.02	0.30	2.32
<b>HS085100</b>	Slotted Screwdriver		Slotted: 5.5mm Diameter: 5.0mm Length: 100mm Packed by plastic hanger Inner box is color box	1.37	0.20	1.57
<b>HS08PH1100</b>	Philips Screwdriver		CR-V,PH1, Hex shank Diameter: 5.0mm length: 100mm Packed by plastic hanger Inner box is color box	1.37	0.20	1.57
<b>HS086150</b>	Slotted Screwdriver		Slotted: 6.5mm Diameter: 6.0mm Length: 150mm Packed by plastic hanger Inner box is color box	1.82	0.27	2.09
<b>HS08PH2150</b>	Philips Screwdriver		CR-V,PH2, Hex shank diameter: 6.0mm length: 150mm Packed by plastic hanger Inner box is color box	1.82	0.27	2.09
<b>HKSD0608</b>	6 pcs screwdriver set		<b>6 pcs screwdriver set</b> Material: CR-V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs PH1*5*75 1pcs PH1*5*100 1pcs PH2*6*150 Packed by double blister and display box	10.14	1.52	11.66
<b>HKSD0611</b>	6 pcs precision Screwdriver bit		<b>6 pcs precision screwdriver</b> <b>Included:PH1, PH0, SL1.4, SL2.0, SL2.4, SL3.0</b> Packed by plastic box+color box	4.88	0.73	5.61
<b>HHK04081</b>	Hex Key		8pcs hex key( Pocket) Cr-V 2-8mm Packed by double blister	4.55	0.68	5.23
<b>HHK02091</b>	Hex key		9pcs ball point hex key set Cr-V 1.5-10mm Packed by double blister	5.46	0.82	6.28

HHK01091	Hex Key		9pcs hex key set Cr-V 1.5-10mm Packed by double blister	5.07	0.76	5.83
HMH020500	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 500g	5.79	0.87	6.65
HMH021000	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 1000g	7.69	1.15	8.84
HMH020300	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 300g	4.42	0.66	5.08
HMH022000	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 2000g	11.67	1.75	13.42
HBPH02016	Ball Pein hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 16oz/450g	5.20	0.78	5.98
HBPH02048	Ball Pein hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 48oz/1300g	10.21	1.53	11.74
HCH0216	Claw Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 16oz/450g	6.37	0.96	7.33
HCH0208	Claw Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 8oz/220g	4.23	0.64	4.87
HCH0116	Claw hammer		All steel drop-forged claw hammer Heat treatment 16oz/450g Packed by poly bag	14.45	2.17	16.62
HRPH0140	Rubber and Plastic Hammer		Hammer diameter:40mm with Fiberglass handle	7.23	1.08	8.31
HBPH02024	Ball Pein Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 24oz/660g	6.83	1.02	7.85
HSTH0125	2.5Lb Stoning Hammer		Heat treatment 2.5lb//1130g Packed by poly bag	17.99	2.70	20.68
HRUH0208	Rubber Hammer		Fiberglass handle 8oz/220g	3.90	0.59	4.49
HRUH0216	Rubber Hammer		Fiberglass handle 16oz/450g	5.07	0.76	5.83
HSTH0202	Stoning Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 1000g	7.80	1.17	8.97



HSTH0204	Stoning Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 2000g	12.35	1.85	14.20
HAX020600	Axe		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 600g	15.79	2.37	18.16
HSM01591	Sledge hammer		<b>Weight:5kg</b> ,Precision casting Heat treatment, 45# carbon steel <b>With plastic handle</b> Handle leight: 900mm Packed by carton box	50.57	7.59	58.16
HKSPA1081	Combination Spanner Set		Size:6-19mm 6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm Fine polished Packed by plastic hanger	17.06	2.56	19.62
HKSPA2081	Double Open End Spanner set		8pcs double open end sapnner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger	18.91	2.84	21.74
HKSPA3081	Offset Ring Spanner		8pcs offset ring spanner set Size:6-19mm 6x7mm,8x9mm,8x10mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm Fine polished Packed by plastic hanger	24.37	3.66	28.03
HKSPA1082	Combination spanner set		<del>8pcs combination spanner set</del> Size: <b>6-19mm</b> 6mm,8mm,10mm,12mm,14mm,15mm,17mm,19mm Fine polished Packed by plastic hanger	17.07	2.56	19.63
HKSPA2082	Double open end sapnner set		<del>8pcs double open end sapnner set</del> Size: <b>6-22mm</b> 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm	18.90	2.84	21.74
HKSPA3082	Offset ring spanner set		<del>8pcs offset ring spanner set</del> Size: <b>6-22mm</b> 6x7mm,8x9mm,10x11mm, 12x13mm,14x15mm,16x17mm,18x19mm,20x22mm	24.38	3.66	28.03
HKSPA1142	Combination spanner set		<del>12pcs combination spanner set</del> Size: <b>6-24mm</b> 6mm,8mm,10mm,11mm, 12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm Fine polished	37.05	5.56	42.61
HKSPA2142	Double open end sapnner set		<del>12pcs double open end sapnner set</del> Size: <b>6-32mm</b> 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm	46.15	6.92	53.07









<b>HKSPA3142</b>	Offset ring spanner set		<b>12pcs offset ring spanner set</b> Size:6-32mm 6x7mm,8x9mm,10x11mm,12x13mm, 14x15mm,16x17mm,18x19mm,20x 22mm,24x27mm,24x27mm,25x28	60.97	9.15	70.12
<b>STS0108</b>	Staples		1000pcs staples size:8mm Packed by color box	1.47	0.22	1.69
<b>STS0112</b>	Staples		1000pcs Staples Size:12mm Packed by color box	1.54	0.23	1.77
<b>HRT0110</b>	Rivet		Aluminium 50pcs/set Size:4x10mm Packed by poly bag with header card	1.01	0.15	1.16
<b>HRT0112</b>	Rivet		Aluminium 50pcs/set Size:4.8x12mm Packed by poly bag with header card	1.31	0.20	1.51
<b>HRT0212</b>	Rivet		Aluminium 50pcs/set Size:4x12mm Packed by poly bag with header card	1.19	0.18	1.37
<b>HRT0116</b>	Rivet		Aluminium 50pcs/set Size:4.8x16mm Packed by poly bag with header card	1.38	0.21	1.59
<b>HSMT0410</b>	Steel measuring tape		Length & width: <b>10mx12.5mm</b> <b>With metric and inch</b> Packed by color box	4.23	0.63	4.86
<b>HSMT0108.1</b>	Steel Measuring Tape		Self lock function With magnetic tip <b>Only Metric</b> Packed by color display box	5.23	0.78	6.01
<b>HSMT0103</b>	Steel Measuring Tape		Self lock function With magnetic tip <b>Only Metric</b> Packed by color display box	2.28	0.34	2.62
<b>HSMT0805</b>	Steel Measuring Tape		Length & width:5mx25mm Self lock function With all rubber cover With metric and inch Packed by color display box	3.97	0.59	4.56
<b>HSMT08052</b>	Steel Measuring Tape		Self lock function With magnetic tip <b>Only Metric</b> Packed by color display box	3.64	0.55	4.19
<b>HFMT0150</b>	Fibreglass measuring tape		Length & width:50mx12.5mm Packed by color box	11.31	1.70	13.00
<b>HFMT0110</b>	Fibreglass measuring tape		Length & width:10mx12.5mm Packed by color box	4.30	0.65	4.95
<b>HFMT0120</b>	Fibreglass measuring tape		Length & width:20mx12.5mm Packed by color box	6.39	0.96	7.34


HFMT0130	Fibreglass measuring tape		Length & width:30mx12.5mm Packed by color box	6.85	1.03	7.87
CHPTB0102	Paint Brush		Width: 2" Bristle length: 51mm Thickness: 14.5mm	1.51	0.23	1.74
CHPTB0103	Paint Brush		Width: 3" Bristle length: 57mm Thickness:16mm	2.92	0.44	3.36
CHPTB0104	Paint Brush		Width: 4" Bristle length: 57mm Thickness:17.5mm	4.15	0.62	4.77
CHPTB0115	Paint brush		100% pure bristles Width: 1.5" Bristle length: 44mm	0.92	0.14	1.06
CHPTB0101	Paint Brush		Width: 1" Bristle length: 44mm Thickness: 12.5mm	0.61	0.09	0.71
CHPTB0125	Paint Brush		100% pure bristles Width: 2.5" Bristle length: 51mm Thickness: 15.5mm	2.00	0.30	2.30
HRC0323014	Roller Cover		Material:Acrylic fibres,9" Size:230mm Fibre height:14mm	1.84	0.28	2.12
HRHT03230	Cylinder Brush		Fibre height:14mm Dia of central shank:7.4mm With 4pcs assistant shank With 1pcs roller cover	4.30	0.65	4.95
CHPTT01370	Paint Tray		Size: 37x27cm	2.31	0.35	2.65
HKTCB2302	Roller Brush 3 in 1 set		Size:9", 230mm Fibre height:14mm Dia of central shank:6mm With 1pcs Roller handle With 1pcs roller cover With 1pcs Paint tray size:36.5*27*6 cm	6.54	0.98	7.52
HAS023501	Aluminium Steel Angle Square		Aluminium Steel Angle Square Size: <b>350mm/14"</b> Width: <b>39mm</b> Thickness: <b>1mm</b> Metric and inch Picked by plastic bag	4.55	0.68	5.23
HSL02100	Spirit Level		Length: 100cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	16.25	2.44	18.69
HSL02200	Spirit Level		Length: 200cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	26.06	3.91	29.97
HSL02080	Spirit Level		Length: 80cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	13.65	2.05	15.70

HSL02120	Spirit Level		Length: 120cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	19.50	2.93	22.43
HSL02150	Spirit Level		Length: 150cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	22.10	3.32	25.42
HSL02030	Spirit Level		Length: 30cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	6.08	0.91	6.99
HSL02040	Spirit Level		Length: 40cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	7.31	1.10	8.41
HSL02060	Spirit Level		thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	11.70	1.76	13.46
HLL6502	Cross & Line Laser Level		Laser wavelength: 650nm Accuracy:±1mm/m Self leveling scope: ±4° Self leveling time: <8sec It can emit the cross line With telescopic tripod	174.69	26.20	200.89
HDMW01	Digital Display measuring Wheel		With metric and inch dual system With stand Display resolution:0.1m Tolerance:±5% Measuring range:0-9999m	49.28	7.39	56.67
ALS25401	Line Spool		Line length:4M For INGCO GGT25381 gasoline grass trimmer Packed in plastic bag + Header	7.53	1.13	8.66
ALS50201	Line Spool		Line diameter:5mm Line length:2M For INGCO GBC32441 gasoline grass trimmer Packed in plastic bag + Header	10.91	1.64	12.55
ALS12601	Line Spool		Line diameter:1.2mm Line length:6M For INGCO GT3501 grass trimmer Packed in plastic bag + Header	3.00	0.45	3.46
FD1153	Flap disc		Size: 115mm*22mm,P80 suitable for high steel , steel, cast iron and sheet steel , Packed in single blister	2.80	0.42	3.21

<p><b>AKSDS0301</b></p>	<p>3pcs step drill bit set</p>		<p><b>3 pcs step drill bit set</b>  1pcs 4-12mm, 1mm/step, Shank diameter: 6mm  1pcs 4-20mm, 2mm/step, Shank diameter: 8mm  1pcs 4-32mm, 2mm/step, Shank diameter: 10mm  Material: HSS  <b>Applies to Steel Plate thickness≤3mm</b>  Packed by wood box</p>	<p>29.90</p>	<p>4.49</p>	<p>34.39</p>
<p>HKPP0601</p>	<p>Pin Punch set</p>		<p>6pcs Pin Punch  SIZE:  1/16"(1.5mm)*1/4"(6mm)*6"(152mm)  1/8"(3mm)*5/16"(8mm)*6"(152mm)  5/32"(4mm)*5/16"(8mm)*6"(152mm)  3/16"(5mm)*5/16"(8mm)*6"(152mm)  1/4"(6mm)*3/8"(10mm)*6"(152mm)  5/16"(8mm)*3/8"(10mm)*6"(152mm)  Packed in plastic box  Same as STANLEY quality</p>	<p>13.65</p>	<p>2.05</p>	<p>15.70</p>
<p>HKPP1201</p> <p><b>INDUSTRIAL</b></p>	<p>Cold chisel and punch set</p>		<p>12pcs Cold chisel and punch set  SIZE:  2pcs center punch:  1/14"(6mm)x3/8"(10mm)x4"(102mm)  5/16"(8mm)x7/16"(11mm)x4-1/2"(115)  1pcs solid punch  3/32"(2.0mm)x3/8"(10mm)x5-1/2"(140mm)  6PCS PIN PUNCH  1/16"(1.5mm)x1/4"(6mm)x6"(152mm)  1/8"(3mm)x5/16"(8mm)x6"(152mm)  5/32"(4mm)x5/16"(8mm)x6"(152mm)</p>	<p>28.47</p>	<p>4.27</p>	<p>32.74</p>
<p><b>ASE001</b></p>	<p>Screw extractor set</p>		<p><b>CrV</b>  Size:3~6mm,6~8mm,8~11,11~14,14~18  Hardness:48~52HRC Coarse thread  Packed by plastic box</p>	<p>6.31</p>	<p>0.95</p>	<p>7.25</p>

<b>DBAC0301</b>	Adjustable tile hole cutter		<b>Adjustable size: 30-100mm</b> Material: carbon steel heat treated. Chrome-Plated with TCT blade Packed by hanger card	5.53	0.83	6.35
<b>AK08351</b>	35pcs Drill bits set		<b>35pcs drill bit set</b> <b>6pcs HSS Ti-coated bit</b> 2,3,4,5,6,6.5mm <b>6pcs wood drill bit</b> 3,4,5,6,8,10mm <b>6pcs masonry drill bit</b> 3,4,5,6,8,10mm <b>5pcs socket</b> 4,5,6,7,8mm,length:20.5mm <b>10pcs screwdriver</b> <b>bits</b> ,length:25mm,SL4,5,6;PH2,3,4; PZ1,2,3,4. <b>1pcs magnetic holder</b> length:60mm <b>1pcs light flash</b> <b>Packed in plastic box</b>	43.81	6.57	50.38
<b>AKD2051</b>	SDS plus Hammer drill bit set		5 PCS SDS PLUS KIT 6X110mm,8X110mm,10X110m m,10X160mm,12X160mm Packed in plastic box	9.88	1.48	11.36
<b>DBT1110101</b>	M2 HSS Drill Bit		M2 HSS,diameter:1mm Total length:26mm Usable length:6mm 20pcs/plastic box	4.61	0.69	5.30
<b>DBT1110201</b>	M2 HSS Drill Bit		M2 HSS,diameter:2mm Total length:49mm Usable length:24mm 20pcs/plastic box	5.75	0.86	6.61
<b>DBT1110301</b>	M2 HSS Drill Bit		M2 HSS,diameter:3.0mm Total length:61mm Usable length:33mm 20pcs/plastic box	14.20	2.13	16.33
<b>DBT1110401</b>	M2 HSS Drill Bit		M2 HSS,diameter:4.0mm Total length:75mm Usable length:43mm 10pcs/plastic box	11.83	1.77	13.60
<b>DBT1110501</b>	M2 HSS Drill Bit		M2 HSS,diameter:5.0mm Total length:86mm Usable length:52mm 10pcs/plastic box	15.21	2.28	17.49
<b>DBT1110601</b>	M2 HSS Drill Bit		M2 HSS,diameter:6.0mm Total length:93mm Usable length:57mm Packed by plastic tube	2.60	0.39	2.99










DBT1110651	M2 HSS Drill Bit		M2 HSS,diameter:6.5mm Total length:101mm Usable length:63mm Packed by plastic tube	3.12	0.47	3.59
DBT1110701	M2 HSS Drill Bit		M2 HSS,diameter:7.0mm Total length:109mm Usable length:69mm Packed by plastic tube	3.71	0.56	4.26
DBT1110801	M2 HSS Drill Bit		M2 HSS,diameter:8.0mm Total length:117mm Usable length:75mm Packed by plastic tube	4.75	0.71	5.46
DBT1110901	M2 HSS Drill Bit		M2 HSS,diameter:9.0mm Total length:125mm Usable length:81mm Packed by plastic tube	5.98	0.90	6.88
DBT1111001	M2 HSS Drill Bit		M2 HSS,diameter:10mm Total length:133mm Usable length:87mm Packed by plastic tube	7.61	1.14	8.75
DBT1111101	M2 HSS Drill Bit		M2 HSS,diameter:11mm Total length:142mm Usable length:94mm Packed by plastic tube	8.97	1.35	10.32
DBT1111201	M2 HSS Drill Bit		M2 HSS,diameter:12mm Total length:151mm Usable length:101mm Packed by plastic tube	10.79	1.62	12.41
DBT1111301	M2 HSS Drill Bit		M2 HSS,diameter:13mm Total length:151mm Usable length:101mm Packed by plastic tube	12.55	1.88	14.43
DBT1111601	M2 HSS Drill Bit		M2 HSS,diameter:16mm Total length:178mm Usable length:120mm Packed by plastic tube	23.21	3.48	26.69
DBT1112001	M2 HSS Drill Bit		M2 HSS,diameter:20mm Total length:205mm Usable length:140mm Packed by plastic tube	48.36	7.25	55.61
DBM111031	Masonry Drill Bit		Same as BOSCH blue granite quality level High quality TCT tip Chrome alloy steel shank Black and white finish 3 X 60mm Packed by plastic tube	0.85	0.13	0.97
DBM111041	Masonry Drill Bit		4X75mm Packed by plastic tube	0.98	0.15	1.12
DBM111161	Masonry Drill Bit		16X150mm Packed by plastic tube	4.81	0.72	5.53
DBM111061	Masonry Drill Bit		6X100mm Packed by plastic tube	1.37	0.20	1.57

DBM111081	Masonry Drill Bit		8X120mm Packed by plastic tube	1.89	0.28	2.17
DBM111102	Masonry Drill Bit		10X150mm Packed by plastic tube	2.80	0.42	3.21
DBM111121	Masonry Drill Bit		12X150mm Packed by plastic tube	3.06	0.46	3.51
DBW2210601	Wood flat drill bit		<b>Same as Dewalt quality</b> Alloy steel,hardened& tempered <b>With 1/4" hex shank</b> <b>Quick release flute</b> 6mm,total length:152mm	2.47	0.37	2.84
DBW2210801	Wood flat drill bit		<b>8mm</b> ,total length:152mm Packed in double blister	2.54	0.38	2.92
DBW2211001	Wood flat drill bit		<b>10mm</b> ,total length:152mm Packed in double blister	2.60	0.39	2.99
DBW2211201	Wood flat drill bit		<b>12mm</b> ,total length:152mm Packed in double blister	2.67	0.40	3.06
DBW2211401	Wood flat drill bit		<b>14mm</b> ,total length:152mm Packed in double blister	2.80	0.42	3.21
DBW2211601	Wood flat drill bit		<b>16mm</b> ,total length:152mm Packed in double blister	2.86	0.43	3.29
DBW2211801	Wood flat drill bit		<b>18mm</b> ,total length:152mm Packed in double blister	2.93	0.44	3.36
DBW2212001	Wood flat drill bit		<b>20mm</b> ,total length:152mm Packed in double blister	3.06	0.46	3.51
DBW2213001	Wood flat drill bit		<b>30mm</b> ,total length:152mm Packed in double blister	3.84	0.58	4.41
DBW2213201	Wood flat drill bit		<b>32mm</b> ,total length:152mm Packed in double blister	4.03	0.60	4.63
DBW2213801	Wood flat drill bit		<b>38mm</b> ,total length:152mm Packed in double blister	4.55	0.68	5.23
SDB11PH211	Screwdriver Bits Set		PH2,25mm,12pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11PH221	Screwdriver Bits Set		PH2,50mm,6pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11PZ211	Screwdriver Bits Set		PZ2,25mm,12pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11PZ221	Screwdriver Bits Set		PZ2,50mm6pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11SL411	Screwdriver Bits Set		SL6.0*1.0,25mm,12pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10



























SDB11SL421	Screwdriver Bits Set		SL6.0*1.0,50mm,6pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB21HL131	Screwdriver Bits Set		PH2+SL6.0,65mm,6pcs/set S2 industrial steel double end bit Nickle plated,megnetic Packed by plastic box	3.31	0.50	3.81
MCD301001	Abrasive Cutting Disc		100X3.0X16.0MM	1.08	0.16	1.24
MCD301251	Abrasive Cutting Disc		125X3.0X22.2MM	1.48	0.22	1.70
MGD601151	Abrasive Grinding Disc		115X6.0X22.2MM	2.15	0.32	2.47
MCD302301	Abrasive Cutting Disc		230X3.0X22.2MM	4.33	0.65	4.98
MGD602301	Abrasive Grinding Disc		230X6.0X22.2MM	7.16	1.07	8.23
MGD601801	Abrasive Grinding Disc		180X6.0X22.2MM	4.70	0.70	5.40
MGD601251	Abrasive Grinding Disc		125X6.0X22.2MM	2.54	0.38	2.92
MCD303551	Abrasive Cutting Disc		355X3.0X25.4MM	7.53	1.13	8.66
MCD301801	Abrasive Cutting Disc		180X3.0X22.2MM	2.92	0.44	3.36
MCD301151	Abrasive Cutting Disc		115X3.0X22.2MM	1.38	0.21	1.59
MCD121151	Abrasive Cutting Disc		115X1.2X22.2MM	1.16	0.17	1.33
MGD601001	Metal Grinding Disc		100X6.0X16MM	1.62	0.24	1.86
MCD121001	Metal Cutting Disc		100X1.2X16.0MM Same as Dewalt quality	0.85	0.13	0.98
SCD301151	Abrasive stone cutting disc		<b>115X3.0X22.2MM</b> cutting disc for stone	1.40	0.21	1.61
SCD302301	Abrasive stone cutting disc		<b>230X3.0X22.2MM</b> cutting disc for stone	4.26	0.64	4.90
TSB125425	254MM TCT Saw Blade		254mm(10") 40T,arbor:30mm 16mm and 25.4 ring Suitable for table saw For INGCO item TS15004	16.91	2.54	19.45
TSB221022	TCT Saw Blade		210mm(8-1/4") 48T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS12001	14.30	2.14	16.44



TSB230523	TCT Saw Blade		305mm(12") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMIS16001	32.52	4.88	37.40
TSB321023	TCT Saw Blade		210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS12001	17.30	2.60	19.90
DMD011101	110MM Diamond Cutting Discs		110X20mm Blade width:7.5mm Packed in color box	7.23	1.08	8.31
HMAC081016	Mini American type clamp		Width:8mm- <b>50pcs per pack</b> Nut:M6 Range:10~16mm Stainless steel ring and steel nut Antirust and mirror finish treatment Packed in plastic bag-	19.50	2.93	22.43
HMAC081319	Mini American type clamp		Width:8mm - <b>50pcs per pack</b> Nut:M6 Range:13~19mm Stainless steel ring and steel nut	22.75	3.41	26.16
HAC1271325	American type clamp		Width:12.7mm- <b>10pcs per pack</b> Nut:M8 Range:13~25mm Stainless steel ring and steel nut	6.50	0.98	7.48
HAC1272751	American type clamp		Width:12.7mm- <b>10pcs per pack</b> Nut:M8 Range:27~51mm Stainless steel ring and steel nut	8.45	1.27	9.72
HAC1275276	American type clamp		Width:12.7mm- <b>10pcs per pack</b> Nut:M8 Range:52~76mm Stainless steel ring and steel nut	11.05	1.66	12.71
HPL01300	Planer		Length:235mm Steel Q195 Planing width&depth:44x2mm Packed by hanger card	6.43	0.96	7.39
HPC0342	PVC Pipe Cutter		Length:200mm Cutting diameter:3-42mm Packed by double blister	6.15	0.92	7.07
HPC0442	PVC Pipe Cutter		Length:225mm <b>Cutting diameter:3-42mm</b> Packed by double blister	9.60	1.44	11.04
HSG1403	Staple Gun		Iron staple gun Adjustable driving force size: 4-14mm Packed by double blister	7.99	1.20	9.19
HDCD01150	Digital Caliper		Reading:0.01mm,metric/inch system conversion at any position,metal housing Packed by plastic box	32.67	4.90	37.57
HDCD01200	Digital Caliper		Range:0-200mm Reading:0.01mm,metric/inch system conversion at any position,metal housing Packed by plastic box	39.00	5.85	44.85













DM200	Pocket Sized Digital Multimeter		1999 counts LCD Display Backlight DC Voltage 200mV/2V/20V/200V/600V AC Voltage 200V/600V DC Current 200µA/2mA/20mA/200mA/10A Resistance 200Ω/2kΩ/20kΩ/200kΩ/2MΩ Packed by color box	15.99	2.40	18.39
HBP02250	Block Planer		Length:250mm Block planer It can be changed blade. Packed by hanger card	9.22	1.38	10.61
HPLB2501	Planer Blade		Length:250mm,carbon steel,black plat Packed by polybag+header	1.93	0.29	2.22
HFJ201	Hydraulic Floor Jack		Hydraulic floor jack, 2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight: 8.7kg Packed by color box	52.27	7.84	60.11
HTB02	Tool Box		Size:495x200x290mm Steel thickness: 0.6~0.8mm Net weight: 5.5kg	53.30	8.00	61.30
HTC02600	Tile Cutter		Multi-function:direct line cutting, diagonal line cutting Max cutting length:600mm Base size:83x16cm Diameter of blade:22mm Steel base, aluminium support parts, aluminium square ruler Tungsten carbide blade Packed by color box	43.81	6.57	50.38
HRTH0214	Ratchet Handle		Length:135mm Size:1/4" DR Surface: bright chrome , Material:Cr-V Packed by plastic hanger	6.99	1.05	8.04
HRTH0212	Ratchet Handle		Length:245mm Size:1/2" DR Surface: bright chrome , Material:Cr-V Packed by plastic hanger	9.78	1.47	11.25
HKTS0241	Socket Set		25pcs Socket set 1/2" 18pcs 1/2" CRV DR. Sockets: 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,27,30,32 2pcs 1/2" DR. Extension bar 1pcs 1/2" DR. Sliding T bar 1pcs 1/2" DR. Universal joint 1pcs 1/2" DR. Speeder handle 1pcs 1/2" DR. Quick ratchet handle 1pcs metal case	75.33	11.30	86.62

<b>HADW131081</b>	Adjustable wrench		Length:250mm(8"), <b>CrV</b> Adjustable clamp size:0-30mm Two color rubber handle Packed by plastic hanger	7.97	1.19	9.16
<b>HADW131101</b>	Adjustable wrench		Length:250mm(10"), <b>CrV</b> Adjustable clamp size:0-35mm Two color rubber handle Packed by plastic hanger	10.97	1.65	12.62
<b>HADW131121</b>	Adjustable wrench		Length:300mm(12"), <b>CrV</b> Adjustable clamp size:0-40mm Two color rubber handle Packed by plastic hanger	15.79	2.37	18.16
<b>HBV024</b>	Bench Vice		Swivel base,Size: 4" With anvil Weight:6kg clamping force(KN) 600 Packed by carton	51.99	7.80	59.79
<b>HBV026</b>	Bench Vice		Swivel base,Size: 6" With anvil Weight:12kg clamping force(KN) 1000 Packed by carton	92.86	13.93	106.79
HCCB0208	Cable cutter		<b>Size:8"</b> <b>55# Carbon steel</b> Packed by plastic hanger	5.20	0.78	5.98
<b>HWSP03</b>	Wire stripper		Cutting size: 0.5-6mm Packed by sliding card	4.40	0.66	5.06
<b>HWSP04</b>	Wire Stripper		Size: 180mm/9" Blade material:65Mn Zinc alloy Pack by double blister	8.39	1.26	9.64
<b>HRP08200</b>	8" Rabbit Pliers		Cr-V,satin finish, 200mm, 8" Packed by plastic hanger Inner box is color box	6.57	0.98	7.55
<b>HCPP08200</b>	Carpenters Pliers		Cr-V,satin finish, 200mm, 8" Packed by plastic hanger Inner box is color box	6.44	0.97	7.40
<b>HRP01250</b>	10" Rabbit Pliers		Cr-V,satin finish, 250mm,10" Packed by plastic hanger Inner box is color box	7.16	1.07	8.23
<b>HPP08250</b>	10" Pump Pliers		Cr-V,satin finish, 250mm,10" Packed by plastic hanger Inner box is color box	7.74	1.16	8.90
<b>HHDCP01180</b>	7" Heavy-Duty Diagonal Cutting Pliers		Cr-V,satin finish, 180mm, 7" Packed by plastic hanger Inner box is color box	5.38	0.81	6.19











HCP08200	8" Combination Pliers		Cr-V,satin finish, <b>200mm,8"</b> <b>TPR two color handle</b> Packed by plastic hanger Inner box is color box	6.00	0.90	6.89
HWSP01160	6" Wire Stripping Pliers		Cr-V,satin finish,160mm, 6" Packed by plastic hanger Inner box is color box	5.16	0.77	5.93
HLNP08160	6" Long Nose Pliers		Cr-V,satin finish, 160mm, 6" Packed by plastic hanger Inner box is color box	4.49	0.67	5.16
HECP08160	6" End Cutting Pliers		Cr-V,satin finish, 160mm, 6" Packed by plastic hanger Inner box is color box	6.44	0.97	7.40
HDCP08180	7" Diagonal Cutting Pliers		Cr-V,satin finish, 180mm, 7" Packed by plastic hanger Inner box is color box	5.72	0.86	6.58
HBNP08160	6" bent Nose Pliers		Cr-V,satin finish, 160mm, 6" Packed by plastic hanger Inner box is color box	4.42	0.66	5.08
HCJLW0110	Curved Jaw Lock Wrench		Size:10" HRC52-HRC56 Packed by double blister	7.53	1.13	8.66
HSP0107	Seal Plier		Size:7" HRC38-HRC45 Material:45# carbon steel Nickel plating Packed by half double blister	6.37	0.96	7.33
HCCLW0111	C-Clamp Lock Wrench		C type Size:11" Packed by plastic hanger	7.80	1.17	8.97
HQSC0104	Spring clamp		Size: <b>4"</b> <b>Length: 113mm</b> Black clip body Max open mouth: <b>31mm</b> Packed by plastic bag	1.63	0.24	1.87
HQSC0106	Spring clamp		Size: <b>6"</b> Black clip body Length: <b>159mm</b> Max open mouth: <b>54mm</b> Packed by plastic bag	2.41	0.36	2.77
HGP01033	Gear Puller 3 Jaws		Size:3", 3 Jaws Surface treatment: zinc-plated <b>Range of application:15-80mm</b> Packed by poly bag	12.94	1.94	14.88

<b>HGP01034</b>	Gear Puller 3 Jaws		Size:4", 3 Jaws Surface treatment: zinc-plated <b>Range of application:20-120mm</b> Packed by poly bag	19.76	2.96	22.72
<b>HGP01036</b>	Gear Puller 3 Jaws		Size:6", 3 Jaws Surface treatment: zinc-plated <b>Range of application:25-160mm</b> Packed by poly bag	23.92	3.59	27.51
<b>HKTWB0301</b>	3pcs Abrasive Brush Set		Size:7" Plastic handle Three mini cleaning brushes with nylon,brass,and wire bristles packed by shrink blister	2.15	0.32	2.47
<b>HKTF61</b>	6pcs File Set		6pcs File set size: 4" long; diameter: 3mm Packed by double blister	3.00	0.45	3.46
<b>HSHF088</b>	Half Round Steel File		Length:200mm, T12 Steel Packed by plastic hanger	4.29	0.64	4.93
<b>HWFF088</b>	Flat Wood File		Length:200mm, T12 Steel Packed by plastic hanger	3.51	0.53	4.04
<b>HWHF088</b>	Half Round Wood File		Length:200mm, T12 Steel Packed by plastic hanger	4.03	0.60	4.63
<b>HASA060604</b>	Sheild Anchor		Thread diameter:M6 Sleeve diameter:8mm Total length:60mm Sleeve length:40mm	0.63	0.09	0.72
<b>HASA060754</b>	Sheild Anchor		Thread diameter:M6 Sleeve diameter:8mm Total length:75mm Sleeve length:40mm	0.66	0.10	0.76
<b>HASA080752</b>	Sheild Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:75mm Sleeve length:50mm	0.91	0.14	1.04
<b>HASA080754</b>	Sheild Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:75mm Sleeve length:40mm	0.89	0.13	1.03
<b>HASA081005</b>	Sheild Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:100mm Sleeve length:50mm	0.98	0.15	1.12

HASA101001	Sheild Anchor		Thread diameter:M10 Sleeve diameter:12mm Total length:100mm Sleeve length:60mm	1.19	0.18	1.37
HASB060754	Sheild Anchor		Thread diameter:M6 Sleeve diameter:8mm Total length:75mm Sleeve length:40mm	0.94	0.14	1.08
HASB080955	Sheild Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:95mm Sleeve length:50mm	1.23	0.18	1.41
HASB101156	Sheild Anchor		Thread diameter:M10 Sleeve diameter:12mm Total length:115mm Sleeve length:60mm	1.37	0.21	1.57
HASC0604	Sheild Anchor		Thread diameter:M6 Sleeve diameter:8mm Sleeve length:40mm	0.63	0.09	0.72
HASC0805	Sheild Anchor		Thread diameter:M8 Sleeve diameter:10mm Sleeve length:50mm	0.91	0.14	1.04
HASC1006	Sheild Anchor		Thread diameter:M10 Sleeve diameter:12mm Sleeve length:60mm	1.20	0.18	1.38
HCLR0130	Chalk Line Reel		Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister	5.20	0.78	5.98
HFC020501	F Clamp		Clamp size:50x150mm Thickness and width of iron ruler:5X15mm Length of plastic handle:90mm Diameter of screw thread:11mm Packed by poly bag	3.77	0.57	4.34
HFC020502	F Clamp		Clamp size:50x200mm Thickness and width of iron ruler:5X15mm Length of plastic handle:90mm Diameter of screw thread:11mm Packed by poly bag	4.00	0.60	4.60
HFC020503	F Clamp		Clamp size:50x250mm Thickness and width of iron ruler:5X15mm Length of plastic handle:90mm Diameter of screw thread:11mm Packed by poly bag	4.08	0.61	4.69
HFC020802	F Clamp With Plastic Handle		Thickness and width of iron ruler:6X22mm Length of plastic handle:115mm Diameter of screw thread:13mm Packed by poly bag	7.07	1.06	8.13
HPT280115	Plastering Trowel		Size:280x115mm ABS plastic handle plastering trowel Spring steel	5.07	0.76	5.83

HPT280130	Plastering Trowel		Size:280x130mm ABS plastic handle plastering trowel Spring steel	5.23	0.78	6.01
HBT01150	Bricklaying Trowel		Size: 150mm Brick laying trowel ABS plastic handle	3.07	0.46	3.54
HPW0310	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:10"(250mm)	7.15	1.07	8.22
HPW0312	Pipe Wrench		carbon steel Inactivate treatment. Size:12" (300mm) Max clamping diameter:42mm	8.58	1.29	9.87
HPW0314	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:14" (350mm) Max clamping diameter:50mm	10.73	1.61	12.33
HPW0318	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:18" (450mm) Max clamping diameter:60mm	13.30	2.00	15.30
HPW0324	Pipe wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. <b>Size:24"</b> <b>Max clamping diameter:76mm</b>	20.96	3.14	24.11
HPW0336	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. <b>Size:36"</b> <b>Max clamping diameter:76mm</b>	36.13	5.42	41.54
HPW0348	Pipe wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. <b>Size:48"</b> <b>Max clamping diameter:110mm</b>	53.38	8.01	61.39
HMBC0108	Mini bolt cutter		Cr-V blade Cutting edges induction quenched with comfortable pvc grips A lock in the end of handle Steel handle Size:200mm(8") Packed by sliding card	4.15	0.62	4.77
HBC0124	Bolt Cutter		Size:24" Cr-V blade Packed by poly bag	19.76	2.96	22.72
HBC0130	Bolt Cutter		Size:30" Cr-V blade Packed by poly bag	28.06	4.21	32.27









HBC0136	Bolt Cutter		Size:36" Cr-V blade Packed by poly bag	34.59	5.19	39.78
HHAS08400	Hand Saw		Length: 400mm, Thickness: 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	5.72	0.86	6.58
HHAS08550	Hand Saw		Length: 550mm, Thickness: 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	6.37	0.96	7.33
HHF3004	Hacksaw Frame		<b>Size:300mm/12"</b> Handle hack saw frame Including 1pcs saw blade Packed by poly bag	6.50	0.97	7.47
HHF3001	Hacksaw Frame		300mm handle hack saw frame, adjustable. Soft grip ,including 1pcs saw blade Packed by poly bag	9.29	1.39	10.69
HSBB12321	Bi-metal hacksaw blade		Size:300mm/12" Bi-metal blade Number of teeth: 32T Packed by plastic casing	1.30	0.20	1.50
INDUSTRIAL HSB12321	Hacksaw blade		Size:300mm/12" Material:60# carbon steel Number of teeth: 32T Packed by Plastic casing	0.39	0.06	0.45
HCS3001	Compas saw		Size: <b>300mm/12"</b> Gear grinding two sides Number of teeth: <b>7T</b> Packed by poly bag	3.58	0.54	4.11
HBS6101	Bow Saw		Handle hack saw frame Size: <b>610mm/24"</b> Including 1pcs saw blade Packed by poly bag	8.45	1.27	9.72
HMBS3001	Mitre box and back saw set		Plastic mitre box with back saw 1pcs plastic mitre box Size: <b>300x140x80</b> , thickness: <b>20mm</b> 1pcs back saw Size: <b>300mm/12"</b> Double Color Handle Packed by shrink film	11.38	1.71	13.08

HLR03	Lawn Rake (Not Including Handle)		Distance of two teeth:13mm Width:400mm Length:370mm Length:1.5m	6.22	0.93	7.15
HLT8101	Lopper		Length:810mm/32" Heat treatment blade Blade painted teflon Stress function on blade Packed by hanger card	24.13	3.62	27.76
HHS5901	Hedge Sheer		Length:590mm/23" Heat treatment blade Blade painted teflon Packed by hanger card	21.59	3.24	24.83
HGR03	Gravel Rake (Not Including Handle)		Distance of two teeth:23mm Width:360mm Height:90mm	6.92	1.04	7.96
HCC0141016	Concrete Chisel		Handle size:16mm Length:254mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	8.61	1.29	9.90
HCC0141219	Concrete Chisel		Handle size:19mm Length:305mm OEM for STANLEY.Same as STANLEY quality level.	11.07	1.66	12.73
HCCL011910	Cold Chisel		Handle size:16mm Length:254mm OEM for STANLEY.Same as STANLEY	8.45	1.27	9.72
HCCL012512	Cold Chisel		Handle size:19mm Length:305mm OEM for STANLEY.Same as STANLEY	11.07	1.66	12.73
HCCL022412	Cold chisel		<b>Head size:24mm</b> Handle size:18mm <b>Length:300mm</b> <b>Material: U71Mn steel</b> <b>Drop forged and heat treatment</b> Packed by plastic hanger	6.05	0.91	6.95
HWC0106	Wood Chisel		Wood Chisel, CRV Width:6mm Packed by double blister	4.05	0.61	4.66
HWC0109	Wood Chisel		Wood Chisel, CRV Width 9mm Packed by double blister	4.19	0.63	4.82
HWC0114	Wood Chisel		Wood Chisel, CRV Width:14mm Packed by double blister	4.47	0.67	5.14
HWC0112	Wood Chisel		Wood Chisel, CRV Width:12mm Packed by double blister	4.40	0.66	5.06
HWC0116	Wood Chisel		Wood Chisel, CRV Width:16mm Packed by double blister	4.54	0.68	5.22

HWC0119	Wood Chisel		Wood Chisel, CRV Width:19mm Packed by double blister	4.61	0.69	5.30
HWC0122	Wood Chisel		Wood Chisel, CRV Width:22mm Packed by double blister	4.82	0.72	5.54
HWC0125	Wood Chisel		Wood Chisel, CRV Width:25mm Packed by double blister	4.96	0.74	5.71
HWB02250	Wire Brusher		Plastic handle Coated Copper Length:250mm Packed by double blister	2.10	0.31	2.41
AKH0121	12 Pcs Hole Saw Set		Size:20mm,22mm,25mm,29mm,32mm,35mm,38mm,44mm,48mm,50mm,2pcs hole saw arbors Same as Irwin quality	105.85	15.88	121.72
ABCB01	Bush Cutter Blade		trimmer Blade diameter:230mm(9") Blade teeth:three Packed in color card+poly bag	7.38	1.11	8.49
HSGW01	Welding Goggles		positioning, easy to use. Flexible PVC body, indirect ventilation design.	2.31	0.35	2.65
RV02C	Reflection Vest		Conforms to EN471 Class 2 Common reflective strip + Oxford Polyester waistcoat Colour:Fluorescent Orange,Fluorescent Yellow	5.87	0.88	6.75
AHM002	Automatic Welding Shield		View size:96x43mm Light state Shade:4 Dark state Shade:9/13 Shade control:External Switching time:1/20000S Sensitivity control:Adjustable Power:Lithium batteries+Solar Operation Temp: -10°C-55°C Packed in color box	98.87	14.83	113.70
WM101	Helmet welding mask		Material:PP Helmet welding mask Glass size:108*50*3mm 1 pcs protection glass Packed by carton box	4.55	0.68	5.23
HSH01	Safety Helmet		ABS Safety Helmet with 4 point suspension; Adjust head size by ratchet knob;	9.22	1.38	10.61

SSH02SB.40	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.41	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.42	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.43	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.44	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap	47.28	7.09	54.37
SSH02SB.45	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap	47.28	7.09	54.37
SSH02SB.46	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap	47.28	7.09	54.37
HSG02	Safety goggles		well unique air hole design. High-impact polycarbonate lenses have high transparency comfortable for	2.02	0.30	2.32
HSG04	Safety Goggles		Integrated encircling type design gives flank protection The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use.	1.84	0.28	2.12

<b>HSG05</b>	Safety goggle		Conforms to ANSI Z87.1 and CE EN166; Full-view full-slice structure prevents UV and withstands impact; Fit to wearing the corrective glasses,also can be used as visitors glasses. Can defend against splash particles in the round Packed by double blister	2.31	0.35	2.66
<b>HEM01</b>	Ear Muffs		Impact-resistant ABS shell body,soft foam pad NRR:24dB Packed by header card	5.59	0.84	6.43
<b>HEP02</b>	Ear Plugs		Conforms to ear structure,safe and sanitary; Made from polyurethane foam,smooth and ultra supple; superior noise recuction effect, let operators keep acute hearing in noise ambient. Packed by poly bag	0.81	0.12	0.93
<b>HDM03</b>	Dust mask		Plastic-shelled filter disc replaceable respirator Packed by sliding card	1.08	0.16	1.24
<b>HDM01</b>	Dust mask		Description:EN 149:2001 CE0121 Made with Grade P2 compound materials.Special and soft foam is used as the inner layer of the bandage to ensure the best airtight on the face. FFP2 Inner box is color box	0.92	0.14	1.06
<b>HDM02</b>	Dust mask		Description:EN 149:2001 CE0121 Made with Grade P2 compound materials.Special and soft foam is used as the inner layer of the bandage to ensure the best airtight on the face. FFP2 Inner box is color box	1.08	0.16	1.24

HDM04	Dust mask		<p>For protection against non-toxic dust, irritating pollen, cut grass, animal dander.</p> <p>Adjustable nose clip offers a secure fit .</p> <p>Suggested applications for dusty operations and gardening.</p> <p>Material: Polyester.</p> <p>Package: 50pcs/box, 1000pcs/ctn</p>	0.35	0.05	0.40
HGVK02	Gloves		<p>Description: 10 gauge natural white polyester/cotton knitted work gloves with PVC dots on palm</p> <p>Size: 9 (L) , 10 (XL)</p>	1.23	0.18	1.41
HGVN01	Gloves		<p>Heavy nitrile fully coated gloves</p> <p>Size: 9 (L) , 10 (XL)</p> <p>Packed by color paper hanger</p>	4.12	0.62	4.74
HGVC01	Gloves		<p>Description: Cow split leather gloves</p> <p>cotton back &amp; rubberized cuff, half lining</p> <p>Thickening of wear-resista</p>	2.73	0.41	3.13
HGVW01	Welding leather gloves		<p>Description: red cow split leather welder gloves, one piece back, full lining, KEVLAR thread sewn</p> <p>Length: 14"</p> <p>Inner box is color box</p>	7.09	1.06	8.15