




















INGCO TOOLS CATALOGUE				Rantex Price Exc VAT	VAT	Rantex Price Inc. VAT
Code	Name	Picture	Description			
CDT02180	Cordless Drill 18V		Drill volts:18V No load speed:0-550rpm Chuck:10mm keyless chuck Torque settings:15+1 Light weight design Including 1pcs battery pack Including 1pcs 3-5Hr charger Packed in color box	55.19	8.28	63.47
CDT207180	Cordless Drill 18V		Drill volts:18V 2 mechanical durable gear box No load speed:0-350/0-1000rpm 10mm keyless chuck Torque settings:23+1 LCD battery indicator Including 2pc battery pack Including 1pc 3-5Hr charger Including 47pcs accessories Packed in Ingco designed BMC	124.52	18.68	143.19
CS1036	Cordless Screwdriver 3.6V		Screwdriver volts:3.6V No load speed:180 rpm 8 setting torqe adjustment Max torque control:3.5 N.m LED light for dim place work Battery power indicator Forwar and revese rotation Including 1pc 5-7Hr charger Including 22pcs accessories Packed in Ingco metal box	30.75	4.61	35.36
CS0848	Cordless Screwdriver		Screwdriver volts:4.8V No load speed:190 rpm Max torque control:3.7 N.m LED light for dim place work Shaft lock,can be used by manual Forwar and revese rotation Including 1pc 3-5Hr charger Including 2pcs 50mm bits and 1pcs magnetic bit holder Packed in double blister	38.43	5.76	44.20
CDLI205180	Li-ion Cordless Drill		Drill voltage: 18V Two speed:0-350/0-1250rpm Max torque force:25NM 13mm keyless chuck 755# motor With LED light With LCD battery indicator 24 torque control With 2pcs battery pack 1pcs 1hour charger With 13pcs accessories Packed by BMC	267.48	40.12	307.60
AG6502	Angle Grinder 650W		Voltage: 220-240V~50Hz Input power: 650W No load speed: 11000rpm Disc diameter:100mm Spindle thread:M10 Including 1pcs auxiliary handle Packed in color box	50.73	7.61	58.34
AG6801	Angle Grinder 680W		Voltage: 220-240V~50Hz Input power: 680W No load speed: 11000rpm Disc diameter:115mm Spindle thread:M14 Including 1pcs auxiliary handle Packed in color box	46.80	7.02	53.82
AG9501	Angle Grinder 950W		Voltage: 220-240V~50Hz Input power: 950W No load speed: 11000rpm Disc diameter:125mm Including 1pcs auxiliary handle Packed in color box	53.80	8.07	61.87







AG23508	Angle Grinder 2350W		Voltage: 220-240V~50Hz Input power: 2350W No load speed: 6000rpm Disc diameter:230mm Durable aluminum gear box 1pcs auxiliary handle Packed in color box	119.60	17.94	137.54
ID211002	Impact Drill 1100W		Voltage: 220-240V~50Hz Input power: 1100W No load speed: 0-2800rpm Max drilling capacity:16mm Variable speed Forward/Reverse switch Aluminum durable gear box Hammer function Packed in color box	107.12	16.07	123.19
ID11008	Impact Drill 1100W Industrial		Voltage: 220-240V~50Hz Input power: 1100W No load speed: 0-2800rpm Max drilling capacity:13mm Variable speed Forward/Reverse switch Aluminum durable gear box Hammer function Packed in color box	68.45	10.27	78.71
ID11003	Impact Drill 1100W		Voltage: 220-240V~50Hz Input power: 1100W No load speed: 0-2800rpm Max drilling capacity:13mm Variable speed Forward/Reverse switch Aluminum durable gear box Hammer function Packed in color box	66.10	9.92	76.02
ID8502	Impact Drill 8502		Voltage: 220-240V~50Hz Input power: 850W No load speed: 0-2400rpm Max drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Packed in color box	53.94	8.09	62.04
ID6008	Impact Drill 600W		Voltage: 220-240V~50Hz Input power: 600W No load speed: 0-3000rpm Max drilling capacity:13mm Variable speed Forward/Reverse switch Hammer function Packed in color box	44.85	6.73	51.58
INDUSTRIAL	MIXER		Voltage: 220-240V~50Hz Input power: 1100W No load speed: 0-550rpm Aluminum gear box and body Including 1pcs mixing paddle Ø57mm X 350mm 1pcs key chuck(1.5-13mm) 2pcs auxiliary handle 1pcs connecting link(M14)	103.69	15.55	119.25
MX214001	MIXER		Voltage: 220-240V~50Hz Input power: 1400W No load speed:180-460rpm,300-700rpm Whisk size:M14 Including one pcs mixing paddle (Ø max.):120mm Aluminum gear box and body	144.71	21.71	166.42
PED4501	Electric Drill 450W		Voltage: 220-240V~50Hz Input power: 450W No load speed: 0-2500rpm Chuck capacity: 1.0-10mm Max drilling capacity: 10mm in steel 25mm in wood Packed by color box	52.27	7.84	60.11




PED7002	Electric drill 700W		Voltage: 230V-240V~50Hz Input power: 700W No load speed: 0-1200rpm Chuck capacity: 1.5-13mm Max drilling capacity: 10mm in steel 25mm in wood Packed by color box	79.24	11.89	91.12
AP12001	Angle Polisher 1200W		Voltage: 220-240V~50Hz Input power: 1200W No load speed: 900-3800rpm Disc diameter:180mm Durable aluminum gear box Including 1pcs polishing pad Including 1pcs polishing bonnet Packed in color box	97.24	14.59	111.82
HG200013.2	Heat Gun 2000W		Voltage: 220-240V~50Hz Input power:2000W Temperature:350°C/550°C Airflow:300/500 L/min Soft paint grip for comfortable hold Including 1pcs scraper and 4pcs nozzles Packed by color box	29.25	4.39	33.64
RH15003	Rotary Hammer 1500W		Voltage: 220-240V~50Hz Input power: 1500W No load speed: 750rpm Impact rate:3000bpm Impact energy:5J Drilling capacity: Concrete:36mm Steel:13mm Wood:40mm SDS plus chuck system for tight grip Including 3 drills and 2 chisels Packed in INGCO design plastic case	207.53	31.13	238.66
PDB17002	Demolition breaker		Voltage: 220-240V~50Hz Input power: 1700W Impact rate: 1300bpm Impact force: 45J 16Kg Demolition breaker SDS hex system for tight grip Soft grip handle for comfortable hold Including 2pcs chisels Packed in INGCO design plastic case	509.39	76.41	585.80
PDB20501	Demolition breaker		Voltage: 220-240V~50Hz Input power: 2050W Impact rate: 1300bpm Impact force: 50J 30Kg Demolition breaker SDS hex system for tight grip Soft grip handle for comfortable hold Including 2pcs chisels Packed in INGCO design plastic case	961.27	144.19	1105.46
DBC0112501	SDS Plus Chisel		14X250mm,pointed Suitable for INGCO RH15003 Packed by plastic hanger	3.58	0.54	4.11
DBC0224001	SDS Max Chisel		18 X400X 25mm,flat Suitable for INGCO item RH17001 Packed by plastic hanger	8.00	1.20	9.19
DBC0324102	Hex Chisel		30 X410X 40mm,flat Suitable for INGCO breaker PDB17002 Packed by plastic header	25.22	3.78	29.00
RH17001	Breaker with hammer function		Voltage: 220-240V~50Hz Input power: 1700W No load speed: 125-250rpm Impact rate:795-1950bpm Impact emery:27J Drilling capacity: Concrete:65mm Hammering and chiseling function Vibration absorbed handle SDS MAX chuck system Including 3 drills and 2 chisels Packed in INGCO design plastic	591.50	88.73	680.23







IW9001	Impact Wrench 900W		<p>Voltage: 220-240V~50Hz Input power: 900W No load speed: 2100rpm Max torque:220FT.LBS Aluminium gear box for durability Including 4pcs sockets(17mm, 19mm, 21mm,23mm) Packed by blow mould case</p>	128.91	19.34	148.24
JS7503	Jig Saw 750W		<p>Voltage: 220-240V~50Hz Input Power:750W No load speed:500-3000rpm Cutting capacity: 110mm in wood 10mm in steel 4 step pendulum function Including 1pcs dust tube Packed in color box</p>	98.47	14.77	113.24
JS4008	Jig Saw 400W		<p>Voltage: 220-240V~50Hz Input Power:400W No load speed:800-3000rpm Cutting capacity: 55mm in wood 6mm in steel Packed in color box</p>	42.38	6.36	48.74
JS5201.2	Jig Saw 520W		<p>Voltage: 220-240V~50Hz Input Power:520W No load speed:500-3000rpm Cutting capacity: 55mm in wood 6mm in steel 4 step pendulum function Packed in color box</p>	49.82	7.47	57.29
MG1301.1	Mini Drill Kit 130W		<p>Voltage: 220-240V~50Hz Input power:130W No load speed:8000-30000rpm Collect size:3.2mm Spindle lock for accessories change Variable speed for different work With 1 pcs flexible shaft Including 49pcs accessories Packed in blow mould case</p>	41.97	6.30	48.26
FS2902	Finishing sander 290W		<p>Voltage: 220-240V~50Hz Input power:190W No load speed:13000 rpm Bottom base: 187mmx90 mm Aluminum durable base Automatic dust extraction Including 1pcs dust box Including 1pcs sander paper Packed in color box</p>	63.59	9.54	73.12
PL9001	Electric Planer 900W		<p>Voltage: 220-240V~50Hz Input Power:900W No-load speed:15000rpm Planing width&depth:82x3mm Aluminum front base and side cover for long tool life Accessories storage in machine for convenient use Including 1pc dust bag Packed in color box</p>	93.86	14.08	107.93
CS1858	Circular Saw 1300W		<p>Voltage: 220-240V~50Hz Input Power:1300W No-load speed:4700rpm Cutting capacity: 45 degree:44mm 90 degree:65mm Dia of blade: 185mm Adjustable cutting depth Adjustable bevel cutting 0-45° Packed in color box</p>	95.75	14.36	110.11
RS4501.2	Rotary sander		<p>Voltage: 220-240V~50Hz Input Power:450W No load speed: 4000-13000rpm Dia of sanding pad: 150mm Velcrops base,Variable speed With 150mm base PU base Soft grip for comfortable hold Packed in color box</p>	77.91	11.69	89.60






	Belt sander		<p>Voltage: 220-240V~50Hz Input power:1200W No load speed: 500m/min Sanding belt size: 610x100mm Quick release belt change system Dust suction facility with dust bag Wide sanding belt for fast chip removal Aluminum housing base Packed by color box</p>	153.73	23.06	176.78
BS8102	Belt Sander 810W		<p>Voltage: 220-240V~50Hz Input power:810W Sanding belt size: 533x76mm Sanding belt speed: 200-380m/min Quick release belt Including 1pcs dust bag,1pcs belt Packed in color box</p>	90.47	13.57	104.05
MC12002	Marble cutter		<p>Voltage: 220-240V~50Hz Input power: 1200W No load speed: 11000rpm Dia of blade:110mm Max cutting capacity:34mm Aluminium guard for safety operation Adjustable cutting depth With 1pcs Diamond blade Packed in color box</p>	76.86	11.53	88.39
ESD5501	Screwdriver 550W		<p>Voltage: 220-240V~50Hz Input power: 550W No load speed: 0-2500rpm Bit shank:6mm(1/4") Hex Aluminium gear box for durability Including 6pcs screwdriver bits Packed bycolor box</p>	87.62	13.14	100.77
RT16001	Electric Router 1600W		<p>Voltage: 220-240V~50Hz Input Power:1600W No-load speed:11000-28000rpm Diameter of collet: 12mm and 8mm Cutting depth:55mm Finger depth adjustment LED light for working in dim place 8,12mm collect,1pcs coping ring,1pcs aluminium guide fence,2pcs paralle guide,1pcs spanner,1pcs centring pin Packed in color box</p>	136.05	20.41	156.45
RT10501	Electric Router 1050W		<p>Voltage: 220-240V~50Hz Input Power:1050W No-load speed:13000-30000rpm Diameter of collet:6mm and 8mm Cutting depth:55mm Dust extraction port Including 1pcs paralle guide 6,8mm collect,1pcs coping ring Packed in color box</p>	91.33	13.70	105.03
AB4001	Aspirator Blower 400W		<p>Rated voltage: 230V~50Hz Input power:400W No load speed:12000rpm Max blowing rate:2.5m³/min With 1pcs dust bag Packed by color box</p>	25.52	3.83	29.35
AB7501	Aspirator Blower 750W		<p>Rated voltage: 220-240V~50Hz Input power:750W No load speed:0-13000rpm Variable speed Max blowing rate:3.5m³/min With 1pcs flexible tube With 2pcs suction nozzles Packed by color box</p>	77.71	11.66	89.37





GG141	Glue gun		<p>Voltage: 220-240V~50Hz Input power:100W Gluing capacity : 10-15g/min Glue stick diameter:11.2mm Ideal for adhesive attachment, model making, repairing, sealing and jointing Mechanical feed system for sensitive metering and rapid application Including 2pcs 11.2mm glue sticks Packed in double blister</p>	7.34	1.10	8.44
AKTGS2401	Glue stick set		<p>24pcs 11.2x200mm sticks Packed by Polybag with header</p>	5.48	0.82	6.30
SPG601	Spray Gun		<p>Voltage: 220-240V~50Hz Input power:60W Capacity of spray:160ml/min Capacity of bottle: 700ml Dia of spray nozzle:0.6/0.8mm Including 1pcs viscosity cup Packed in color box</p>	33.67	5.05	38.72
PTWT215002	Plastic tube Welding Tools		<p>220~230v,50Hz Power 800W 1500W This is a set with heating sockets 20、25、32、40、50、63mm Thermoregulator 0 - 300°C with 1pcs measuring tape;1 pcs spirit level;1pcs pipe cutter. Packed by steel box</p>	96.62	14.49	111.12
EH5001	Electric Hoist 900W		<p>Volts:230V~50Hz Input power:900W Lifting weight: 250Kgs(Single line) 500Kgs(Double line) Lifting height:12m(Single line),6m(Double line) Lifting speed:10m/min(Single line),5m/min(Double line) Diameter of wire rope:4.2mm Tensile strength of wire rope:above1770N/mm2 Emergency stop switch Upper limit function Thermal protection terminal Packed in color box</p>	286.70	43.00	329.70
HCBK0101	Chain block		<p>Rating lift weight:1Ton Lift height:2.5m Number of load chain:1 Packed by color box</p>	117.00	17.55	134.55
HCBK0102	Chain block		<p>Rating lift weight:2Ton Lift height:2.5m Number of load chain:2 Packed by color box</p>	162.50	24.38	186.88
HCBK0103	Chain block		<p>Rating lift weight:3Ton Lift height:3m Number of load chain:2 Packed by color box</p>	240.50	36.08	276.58
HCBK0105	Chain block		<p>Rating lift weight:5Ton Lift height:3m Number of load chain:2 Packed by color box</p>	325.00	48.75	373.75
SS852	Scroll saw		<p>Voltage: 220-240V~50Hz Input power: 85W No load speed: 1450m/s Max cutting depth:50mm Max cutting width:410mm Table size:375*250mm Table tilting range:0-45° Blade size:133*2.6*0.25mm(18TPI) Inuction motor for smooth cutting Anti-vibration design for stable work Quick and easy tool free blade system Steel table tilts 45°left and right</p>	169.00	25.35	194.35










COS3556	Cut off Saw	Cut of saw	<p>Voltage: 220-240V~50Hz Input power: 2000W Blade size: 355x25.4x3mm No load speed: 3800rpm Max cutting capacity: 100mm in round pipe 100X100mm in square steel 130X105mm in rectangel Cutting in light pipe,tubing,conduit, channel and so on Spark diversion guard for safety operation Packed by color box</p>	211.25	31.69	242.94
BMS14002	Miter Saw 1400W		<p>Voltage: 110-120V~60Hz Input power: 1400W No load speed:5000rpm Blade diameter:210mm Aluminum base make working more stable Max. cutting capacity:55*120mm Positive stops at 9 settings right/left TCT blade for precision cutting Plastic base Dust bag keep work area clean Miter cuts 0-45° lesf and right Bevel cuts up to 45° to the left</p>	141.71	21.26	162.96
BMIS16001	Miter Saw 1600W		<p>Voltage: 220-240V~50Hz Input power: 1600W No load speed:2800rpm Blade diameter:305mm Max. cutting capacity:95x150mm Induction motor with copper wire TCT blade for precision cutting Aluminum base iter cuts 0-45° lesf and right Bevel cuts up to 45° to the left</p>	418.37	62.76	481.13
BM2S18004	Miter Saw 1800W		<p>Voltage: 220-240V~50Hz Input power: 1800W No load speed:4500rpm Blade size:254mm Table turning range: 0-45° left&right Saw body tilting range:0-45° Saw body sliding range:235mm Max cutting capacity:90x305mm Positive stop at 9 settings right or left Aluminum base Miter cuts 0-45° left and right Double bar for smooth sliding</p>	432.20	64.83	497.04
DP133505	Drill Press 350W		<p>Voltage: 220-240V~50Hz Input power: 350W Spindle speed settings:5 No load speed: 580-2650 rpm Max drilling capacity:13mm Spindle traval:50mm Column diameter:46mm Table size:160*160 mm Base size:314*200mm Adjustable working table With 2-1/2" table vice Net weight:19Kgs Machine height:590mm Packed in color box</p>	198.25	29.74	227.99
BG83502	Bench Grinder 350W		<p>Voltage: 220-240V~50Hz Input power:350W No load speed:2950rpm Wheel size:200 mm Adjustable work rest Including 1 set eye shield Packed in color box</p>	93.35	14.00	107.36
BGL63501	Bench Grinder 350W		<p>Voltage: 220-240V~50Hz Input power:350W No load speed:2950rpm Wheel size:150 mm Work light for automatic illuminate your work area Ball bearing support motor shaft Including 1 set eye shield Including 1pc work light</p>	105.39	15.81	121.19

BGL85201	Bench Grinder 520W		Voltage: 220-240V~50Hz Input power:520W No load speed:2950rpm Wheel size:200 mm On-board wheel dressing tool for wheel sharpening Including 1 set eye shield Including 1pc work light	175.06	26.26	201.32
BG61502	Bench Grinder 150W		Voltage: 220-240V~50Hz Input power:150W No load speed:2950rpm Wheel size:150 mm Adjustable work rest Including 1 set eye shield Packed in color box	49.35	7.40	56.75
BG683501	Wet/Dry Bench Grinder 350W		Voltage: 220-240V~50Hz Input power:350W No load speed:2950rpm/134rpm Wheel size:150mm/200mm Powerful induction motors ensures smooth running Including 1 pc eye shield Including 1pc work light	138.90	20.83	159.73
BGB63501	Bench and Belt Sander 350W		Voltage: 220-240V~50Hz Input power:350W No load speed:2950rpm Wheel size:150mm Belt size:50x686mm Ball bearing support motor shaft Including 1 pc eye shield Including 1pc work light	138.90	20.83	159.73
ING-MMAC2002	MMA-Welding machine		Input voltage(V):230/400 Frequency(HZ):50/60 Rated input capacity(KVA):7.5 No load voltage(V):48 Output current(A):60-200 Max output current(A):200 Duty cycle(%):200A@10% Electrode size(mm):ø2.5-4 Net weight(Kg):22.5 Packed in color box	202.64	30.40	233.03
ING-MMA2003	Inverter MMA-Welding Machine		IGBT inverter technology Input voltage(V):220-240 Frequency (HZ) :50/60 Rated input capacity(KVA):7.5 No load voltage(V):62 Output current(A):10-200 Max output current(A):200 Duty cycle(%):200A@60% Electrode size(mm):ø1.6-5.0 Net weight(Kg):13 Packed in color box	353.64	53.05	406.68
ING-CB1601	Battery Charger		Input voltage(V):230 Frequency (HZ):50/60 Charging voltage(V):12/24 Rated current(A):9/4 Boost current(A):12 Reference capacity(A):28-180 Insulation class:H Weight(Kg):5.6 Packed in color box	76.09	11.41	87.51
ING-CD2201	Batter Charger		Input voltage(V):230 Frequency (HZ) :50/60 Charging voltage(V):12/24 Rated current(A):16/18 Boost current(A):20 Reference capacity(A):70-300 Insulation class:H Weight(Kg):15 Packed in color box	210.30	31.54	241.84
VPM7501	Peripheral Pump 750W		Voltage:220-240V~50Hz Input power: 750W(1HP) Max. head:50M Max. suction:8M Max. flow:60L/min Pipe diameter:1"x1" Copper wire motor Copper impeller 0.15m length cable Packed in color box	95.73	14.36	110.09

VPM3701	Peripheral Pump 370W		Voltage:220-240V~50Hz Input power: 370W(0.5HP) Max.head:35M Max. suction:8M Max. flow:35L/min Pipe diameter:1"x1" Copper wire motor Copper impeller 0.15m length cable Packed in color box	62.40	9.36	71.76
CPM15001	Centrifugal Pump 1500W		Voltage:220-240V~50Hz Input power: 1500W(2HP) Max.head:38M Max. suction:8M Max. flow:140L/min Pipe diameter:1"x1" Copper wire motor Copper impeller 0.15m length cable Packed in color box	191.78	28.77	220.55
CPM7501	Centrifugal Pump 750W		Voltage:220-240V~50Hz Input power: 750W(1HP) Max.head:30M Max. suction:8M Max. flow:120L/min Pipe diameter:1"x1" Copper wire motor Copper impeller 0.15m length cable Packed in color box	126.47	18.97	145.44
JP07501	Jet Pump 750W		Voltage:220-240V~50Hz Input power: 750W(1HP) Max.head:45M Max. suction:9M Max. flow:60L/min Pipe diameter:1"x1" Copper wire motor Copper impeller 0.15m length cable Packed in color box	129.74	19.46	149.20
DWP3701	4" Deep well pump control box With		Voltage:220-240V~50Hz Input power: 370W(0.5HP) Max.head:39M Max. flow:4.0M3/H Pipe diameter:1 1/4" Well pump body:4" Impeller:6 stage Copper wire motor Pump body:Stainless 20m length cable+switch Not included control box Packed in carton box	286.00	42.90	328.90
DWP5501	4" Deep Well Pump control box With		Voltage:220-240V~50Hz Input power: 550W(0.75HP) Max.head:52M Max. flow:4.0M3/H Pipe diameter:1 1/4" Well pump body:4" Impeller:8 stage Copper wire motor Pump body:Stainless 20m length cable+switch Not included control box Packed in carton box	325.00	48.75	373.75
DWP7501	4" Deep Well Pump control box With		Voltage:220-240V~50Hz Input power: 750W(1.0HP) Max.head:65M Max. flow:4.0M3/H Pipe diameter:1 1/4" Well pump body:4" Impeller:10 stage Copper wire motor Pump body:Stainless 20m length cable+switch Not included control box Packed in carton box	364.00	54.60	418.60

DWP11001	4" Deep Well Pump control box	With	Voltage:220-240V~50Hz Input power: 1100W(1.5HP) Max.head:91M Max. flow:4.0M3/H Pipe diameter:1 1/4" Well pump body:4" Impeller:14 stage Copper wire motor Pump body:Stainless 1m length cable+switch Packed in carton box	403.00	60.45	463.45
DWP3701-SB	Control box		Control box for item DWP3701 VDE plug,cable length:70mm Over-current protection Packed by carton box	36.40	5.46	41.86
DWP5501-SB	Control box		Control box for item DWP5501 VDE plug,cable length:70mm Over-current protection Packed by carton box	36.40	5.46	41.86
DWP7501-SB	Control box		Control box for item DWP7501 VDE plug,cable length:70mm Over-current protection Packed by carton box	39.00	5.85	44.85
DWP11001-SB	Control box		Control box for item DWP11001 VDE plug,cable length:70mm Over-current protection Packed by carton box	39.00	5.85	44.85
LM383	Electric Lawn Mower 1600W		Voltage:220V-240~50Hz Input Power:1600W No-load speed:2800rpm Cutting width:380mm Cutting height:28/38/48/58/68mm Grass box size:50L With 0.35m power cord Packed by color box	362.02	54.30	416.33
GWP301	Gasoline Pump Water		Suction&Discharge port diameter:75mm,3" Discharge capacity:1000L/mini Max.head lift:28m Max.suction head:8m Rotation speed:3600rpm 6.5HP gasoline engine Displacemetn::196cc Fule tank:3.6L Fuel consumption:337ml/h Net weight:30Kgs Packed in color box	343.09	51.46	394.55
GCP100-1	Gasoline Plate Compactor		Engine:Honda GX160 Engine power:4.0Kw(5.5HP) Compactor weight:100Kgs Frequency:6500VPM Centrifugal Force:19.8kN Compaction Depth:30cm Travel Speed:48cm/s Efficiency:780M2/Hr Plate size:61x46cm Packed by carton box	1628.09	244.21	1872.30
GVR-2	Gasoline Concrete Vibrator		Engine:INGCO Engine power:4.0Kw(5.5HP) Weight:31Kgs Dapanac type coupling vibrator poker Included Packed by carton box	552.50	82.88	635.38
VBP0381	Vibrator Poker		Diameter:38mm Head length:580mm Dapanac type fitting Vibrating frequency:200Hz Vibrating amplitude:1.2mm Flexible hose length:6m Flexible hose diameter:30mm Flexible shaft diameter:10mm Packed by carton box	182.00	27.30	209.30
GWP201	2" Gasoline Water Pump		Suction&Discharge port diameter:50mm,2" Discharge capacity:550L/min Max.head lift:26m Max.suction head:8m Rotation speed:3600rpm Engine type:4 stroke,air cooled 5.5HP gasoline engine Displacemetn::163cc Fule tank:3.6L Starter:recoil Net weight:27Kgs Packed in color box	302.90	45.44	348.34

AC301006	Air compressor		<p>Voltage:230V,50Hz Power: 2.2 kW (3 HP) Speed:1100rpm Tank:100L(26.4Gal) Operating pressure:max.8bar High running time Belt driving system 2 cylinder compressor Pump lubricated with oil Packed by carton</p>	578.50	86.78	665.28
AC25506	Air Compressor		<p>Voltage:230V,50Hz Power: 1.8 kW (2.5 HP) Speed:2850rpm Tank:50L(13.2Gal) Work Pressure:8bar(116Psi) Transport handle Wheels for easy transport Base foot with vacuum cup function Drain cock Pressure controller Pressure gauge and quick coupling for regulated working pressure Intake filter Non-return valve Safety valve Pump lubricated with oil Packed by color box</p>	286.49	42.97	329.46
HPWR17001	High pressure washer		<p>Voltage: 220-240V~50Hz Induction Motor Input power:1700W Rated Pressure:110Bar (1600PSI) Max Pressure:150Bar (2200PSI) Flow rate:6.7L/min Accessories included: 1pcs water metal spray gun 1pcs high pressure hose(5m) 1pcs water input hose(2m) Packed by color box</p>	299.00	44.85	343.85
GRG021601	Grease Pump		<p>16kg Grease Pump Capacity: 16kg Barrel diameter: 220mm Height: 380mm Hose length: 1500mm Pressure: 3000psi Material: Steel rubber hand Packed by carton box</p>	89.44	13.42	102.86
GRG015001	Grease Gun		<p>500g Grease Gun Capacity: 500g Leight: 400mm Pressure: 6000-8000psi Material: Steel rubber hand Packed by color box</p>	14.67	2.20	16.87
ACN50401	2 in 1 Nailer and Stapler		<p>Operation pressure: 4-7Mpa(60-100Psi) Magazine capacity:100Pcs Brad size:15-50mm Ga18,1.25X1.0mm Staple size:16-40mm Ga18,1.25X1.0mm Staple crown:5.7mm Including 1000pcs brad nails+1000pcs staples Packed in color box</p>	47.04	7.06	54.10
APS16401	Air Stapler		<p>Operation pressure: 4-7bar(60-100Psi) Magazine capacity:100 Pcs Staple:16-40mm Ga18,1.25x1.00mm Stapler magazine:5.7mm Machine weight:1.55Kgs Remain nails displayable Including 1000pcs staples Packed in color box</p>	36.59	5.49	42.07

ABN15501	Air Brad Nailer		Operation pressure: 0.5-0.7Mpa(75-100Psi) Load capacity:100pcs Brad size:15-50mm Ga18,1.25x1.00mm Including 1000pcs brad nails Packed in color box	46.12	6.92	53.04
APS04161	Air Stapler		Operation pressure: 4-7bar(60-100Psi) Magazine capacity:180 Pcs Stapler:4-16mm Ga22,0.75x0.6mm Stapler magazine:10.0mm Machine weight:1.35Kgs Including 1000pcs staples(10mm) Packed in color box	36.59	5.49	42.07
AIW12561	1/2" Air Impact Wrench		Square drive:12.5mm(1/2") Free speed rpm:7500 Air Consumption: 5.0cfm 142.5l/min Max. Torque:420ft 567Nm Twin hammer mechanism Air Pressure:90psi,6.2bar Length:7.3",185mm Weight:5.7lbs,2.6kgs Air Inlet:1/4" Air hose:3/8" Packed in color box	115.69	17.35	133.04
AH1151	Air hose		Material:PU Length:15M Diameter:6/8mm Packed by shrink	13.84	2.08	15.91
ASG4041	Spray Gun		Type of feed:Gravity Standard nozzle:1.5mm Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Pattern width:180-250mm Air cons:4.2-7.1cfm(119-200l/min) Paint capacity:400cc Packed in color box	21.66	3.25	24.91
APS1501	Air Sander		5" Air Sander Self Vacuuming Sanding Pad:6"(150mm) Free Speed RPM:10000 Air Inlet(PT):1/4" Air Hose(ID):3/8" Air Consumption:2.8cfm(79.2l/min) Air pressure:90PSI,6.2bar Net Weight:2.53lbs;1.15Kgs Sug.Air Comp.(Hp):2 Packed in color box	67.42	10.11	77.53
AKT0051	Air Tools 5 pcs set		Recoil hose Length:5m,Diameter:8mm with 1/4" body quick coupler Air blow gun air inlet:G1/4" rated pressure:≤100PSI max pressure:150PSI Air spray gun air inlet:G1/4" air pressure:3.0-5.0bar aluminum cap(lower):1000cc fluid nozzle:160mm-240mm Air washing gun air inlet:G1/4" rated pressure:90PSI max pressure:≤150PSI capacity:750cc Air tire inflating gun air inlet:G1/4" rated pressure:≤150PSI max pressure:320PSI Packed in color box	45.35	6.80	52.15
ASG3101	Spray Gun		Type of feed:Gravity Standard nozzle:1.5mm Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Pattern width:180-250mm Air cons:4.2-7.1cfm(119-200l/min) Paint capacity:1000cc Packed in color box	23.06	3.46	26.52
AWG1001	Washing gun		Nozzle size:215mm Washing capacity:0.75L Operation pressure:4bar Packed in color box	12.69	1.90	14.59

GGT25381	Gosoline Grass Trimmer		Displacement:25CC Max speed: 8140rpm Max cutting path:380mm Spool line:2mmx5m Fuel tank capacity:500ml Powerful 2-stroke motor Dual line bump feed spool head Second handle for comfortable use Bent shaft can be disassembled Packed by color box	176.78	26.52	203.30
GT3501	Grass Trimmer 350W		Voltage:220V-240~50Hz Input power:350W No load speed: 11000rpm Cutting diameter:250mm Comfortable and large gripping Packed by color box	35.36	5.30	40.66
GT6001	Grass Trimmer 600W		Voltage:220V-240~50Hz Input power:600W No load speed: 11000rpm Cutting diameter:300mm Telescopic shaft Rotating handle Packed by color box	59.15	8.87	68.02
GBC32441	Grass Trimmer		Displacement:32cc Max speed: 10500rpm Max cutting path:440mm Spool liner:2.5mmx4m Blade diameter:230mm(3teeth) Fuel tank capacity:500ml Powerful 2-stroke motor Two function:trimmer and cutter Bent shaft can be disassembled Packed by color box	249.80	37.47	287.27
GCS45182	45cc Gasoline Chain Saw		18" Gasoline Chain Saw Displacement:45.02cc Rated power:1.45Kw Idling speed:2800rpm Max. cutting diameter:445mm(18") Fuel tank capacity:550ml Oil tank capacity:260ml Powerful 2-stroke motor Oregon chain saw and bar With Walbro carburetor Packed in color box	307.45	46.12	353.57
GCS45182/B	Cutter Bar		Spare Part- Chain Saw	55.90	8.39	64.29
GCS45182/C	Chain		Spare Part- Chain Saw	39.00	5.85	44.85
BV24001	Blower vaccum		Voltage:220V-240~50Hz Input power:2400W No load speed:6000-13000rpm Wind speed:210km/h Airflow:2500-13000l/h Packed by color box	82.73	12.41	95.14
ABG031	Air Blow Gun		Nozzle size:3mm Packed in single blister	4.23	0.64	4.87
BAT02180	Battery Pack		Volts:18V Suitable for INGCO CDT02 series cordless drills	31.21	4.68	35.89
BAT07120	Battery Pack		Volts:12V Suitable for INGCO CDT07 series cordless drills	27.82	4.17	32.00
BAT02120	Battery Pack		Volts:12V Suitable for INGCO CDT02 series cordless drills	22.14	3.32	25.46
WB11001	Cup wire brush with nut		100mm Wire dia:0.3mm Thread:M14X2 Packed in double blister	3.35	0.50	3.86
WB11251	Cup wire brush with nut		125mm wire:0.35mm Thread:M14X2 Packed in double blister	4.47	0.67	5.14
WB11501	Cup wire brush with nut		150mm wire:0.35mm Thread:M14X2 Packed in double blister	7.27	1.09	8.36
WB20751	Cup twist wire brush with nut		75mm Wire dia:0.5mm Thread:M14X2 Packed in double blister	2.80	0.42	3.21












WB21251	Cup wire brush with nut		125mm wire:0.35mm Thread:M14X2 Packed in double blister	6.57	0.99	7.55
WB40751	Circular Grinding Wire Brush		75mm Shank dia:6.35mm(1/4") Packed in double blister	2.46	0.37	2.83
WB40501	Circular grinding wire brush		50mm wire:0.35mm Shank dia:6.35mm Packed in double blister	1.25	0.19	1.44
WB30751	Cup brushes with Shanks		75mm Shank dia:6.35mm(1/4") Packed in double blister	2.70	0.40	3.10
WB30501	Cup brushes with Shanks		50mm Shank dia:6.35mm(1/4") Packed in double blister	2.39	0.36	2.75
AKFS240101	Sanding Sheet		Belter size:90X240mm, Orbital Sander 4pcs P80,4pcs P120,2pcs P180,10pcs/set Suitable for INGCO FS1902 Packed by color box	3.00	0.45	3.46
BSP020801	Abrasive sanding belt		100*610mm,P80,2pcs/set Packed by color box Suitalbe for Ingco PBS12001	2.31	0.35	2.65
BSP010801	Sanding Belt		76X533mm,P80,2pcs/set Packed by color box Suitalbe for Ingco BS8102	3.16	0.47	3.63
APB011802	Wool Polishing Bonnet		Diameter:180mm Real wool bonnet Packed by plastic bag	7.77	1.17	8.94
CK1301	Chuck key		Key for 13mm key chuck Length:110mm Packed by sliding card	1.96	0.29	2.25
CK1601	Chuck key		Key for 16mm key chuck Length:150mm Packed by sliding card	1.89	0.28	2.17
KC1301.1	13mm key Chuck with Adaptor		Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Including 1pcs adaptor Packed in color box	6.61	0.99	7.60
KC1601	16mm Key Chuck		Chuck capacity:3-16mm Connection size:1/2"-20UNF Packed in color box	12.23	1.83	14.06
KC1301	13mm Key Chuck		Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Packed in color box	5.93	0.89	6.82
EPB820121	Planer Blade		Size:82X5.5X1.2mm,HSS Packed by double blister	4.75	0.71	5.46
PP0201801	Polishing Pad		Diameter:180mm Material:Rubber M14x2 nut Packed by color box	8.61	1.29	9.90
EPB820301	Planer Blade		Size:82X29X3.0mm,HSS Packed by double blister	8.30	1.25	9.55
AKRS125051	Sanding Sheet, Random orbit Sander		125mm,3pcs P80, 2pcs P120,5pcs/set Packed by color box Suitalbe for Ingco item RS4501	4.00	0.60	4.60
TSB118525	TCT Saw Blade		185mm(7-1/4") 40T,arbor:30mm 16mm and 25.4 ring Suitable for circular saw For INGCO item CS1858	10.76	1.61	12.37
AKD2501	SDS plus Hammer drill bit Set		50 PC. SDS PLUS KIT 5x110mm 10pcs 6x160mm 10pcs 8x160mm 5pcs 10x160mm 5pcs 12x160mm 5pcs 8x210mm 5pcs 10x210mm 5pcs 12x210mm 5pcs Packed in metal box	155.03	23.25	178.28
AKD1251	HSS drill Bit set		25PCS HSS TWIST DRILL KIT Fully ground flute,135° self-centering split point,high quality M2 high speed steel Drill bit size:1-13mm/0.5mm Same as BOSCH quality Packed in plastic box	123.50	18.53	142.03











AKHS702	Hole saw set		7pcs hole saw set Hole saw diameter:26. 32. 38. 45. 50 , 56, 63mm Height:50mm(2") Packed by hanger card	5.52	0.83	6.35
JBT101D	Jig Saw Blade for Wood		Clean for wood,HCS,Ground teeth and taper ground,length of tooth:75mm,tooth space:4- 5.2mm,Softwood, chipboards, wood core plywood, fibre boards (10-45 mm),5pcs/set,Same as Irwin quality level	7.38	1.11	8.49
JBT111C	Jig saw Blade for wood		Basic for wood,74mm,8TPI, HCS,milled,ide al for soft wood(4- 50mm),chipboards,wood core plywood,fibre boards,quick cut,5pcs/set,Same as Irwin quality level	3.54	0.53	4.07
JBT118B	Jig saw Blade for metal		Basic for metal,HSS,wavy set,milled,length of tooth:50mm,tooth space:1.9- 2.3mm,Medium-thick sheet metal (2.5-6 mm)5pcs/set Same as Irwin quality level	6.54	0.98	7.52
AKJ0051	Jig saw blade set		2PCS JBT111C for wood 2PCS JBT118B for metal 1PCS JBT127D for Alu 5PCS/set Packed in single blister	4.64	0.70	5.34
AKRT1201	Router Bits Set 6mm	 	12pcs ROUTER BITS SET Shank diameter: 6mm Straight bit D6mm (1/4") Straight bit D8mm(5/16") Straight bit D12mm(15/32") Straight bit D16mm(5/8") Core box bit R6.3mm,D12.7mm(1/2") Core box bit R6.3mm,D22.0mm(7/8") Corner round bit R6.3mm D22mm(7/8") Corner round bit R9.5mm D28.6mm(1 1/8") Dovetail bit 14°,D12,7mm(1/2") Chamfer bit 45°,D32mm(1 1/4") V type bit 90°,D12.7mm(1/2") Roman ogee bit R4mm,D25mm(1") Packed in wooden box	29.64	4.45	34.09
AKRT1211	Router Bits Set 8mm	 	12pcs ROUTER BITS SET Shank diameter: 7mm Straight bit D6mm (1/4") Straight bit D8mm(5/16") Straight bit D12mm(15/32") Straight bit D16mm(5/8") Core box bit R6.3mm,D12.7mm(1/2") Core box bit R6.3mm,D22.0mm(7/8") Corner round bit R6.3mm D22mm(7/8") Corner round bit R9.5mm D28.6mm(1 1/8") Dovetail bit 14°,D12,7mm(1/2") Chamfer bit 45°,D32mm(1 1/4") V type bit 90°,D12.7mm(1/2") Roman ogee bit R4mm,D25mm(1") Packed in wooden box	32.24	4.84	37.08

AKRT1221	Router Bits Set 12mm	 	12pcs ROUTER BITS SET Shank diameter: 8mm Straight bit D6mm (1/4") Straight bit D8mm(5/16") Straight bit D12mm(15/32") Straight bit D16mm(5/8") Core box bit R6.3mm,D12.7mm(1/2") Core box bit R6.3mm,D22.0mm(7/8") Corner round bit R6.3mm D22mm(7/8") Corner round bit R9.5mm D28.6mm(1 1/8") Dovetail bit 14°,D12,7mm(1/2") Chamfer bit 45°,D32mm(1 1/4") V type bit 90°,D12.7mm(1/2") Roman ogee bit R4mm,D25mm(1") Packed in wooden box	34.84	5.23	40.07
HUK611	Utility Knife		Blade size:61x19mm SK5 blade with 6 blades pack by double blister	4.77	0.71	5.48
HUKB611	10pcs Utility Knife Blades set		10pcs blade size:61x19mm SK5 blade pack by plastic box	1.63	0.24	1.87
HTSN0110S	Tin Snip		Aviation snip(Straight) Length:250mm Packed by double blister	5.93	0.89	6.81
HTS0410	Tin snip		Size:10" Drop-forged steel Double dipped grip handle Packed by plastic hanger	7.05	1.06	8.10
HPUT08150	Putty trowel		Size:150mm Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle Inner box is color box	3.55	0.53	4.08
HPUT08060	Putty Trowel		Size:60mm Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle Inner box is color box	2.51	0.38	2.89
HPUT08080	Putty Trowel		Size:80mm Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle Inner box is color box	2.77	0.42	3.18
HPUT08100	Putty Trowel		Size:100mm Stainless steel Heat treatment Fine polished Putty trowel double color Plastic handle Inner box is color box	2.90	0.43	3.33
HGS0128	Glass Scraper		Professional scraper for cleaning snow,frost,dust on glass or tile Length: 128mm Packed by half blister	1.30	0.20	1.50
HBT01200	Bricklaying Trowel		Size: 200mm Brick laying trowel ABS plastic handle	3.38	0.51	3.89
ABH20601	Screwdriver bit holder with release		60mm,2pcs/set Material: steel + Cr- v+Aluminum Packed by sliding card	4.33	0.65	4.98
HSDT1901	Screwdriver Tester		Test Voltage:AC 100-500V Slotted size: 4x190mm Packed by plastic hanger Inner box is color box	1.63	0.24	1.87
HSDT1401	Screwdriver Tester		Test Voltage:AC 100-500V Slotted size: 3x140mm Packed by plastic hanger Inner box is color box	0.85	0.13	0.98









HPC0128	Copper and aluminium Pipe cutter		Copper and aluminium pipe cutter Cutting diameter:3-28mm Packed by sliding card	4.16	0.62	4.78
HPC0250	Copper and aluminium Pipe cutter		Copper and aluminium pipe cutter Cutting diameter:5-50mm Packed by color box	13.91	2.09	16.00
HGCT02	Glass cutter		Glass cutter with 6pcs wheels blade length:130mm packed by double blister	2.60	0.39	2.99
HVC01150	Vernier Caliper		Range:0-150mm,reading:0.05mm Packed by plastic box	17.94	2.69	20.63
HVC01200	Vernier Caliper		Range:0-200mm,reading:0.05mm Packed by plastic box	22.22	3.33	25.55
DCM600	1000Amp AC Digital Clamp Meter		AC Current 600A±(2.5%+5) 1000A DC Voltage 6V/60V/600V±(0.8%+5) 1000V AC Voltage 6V/60V/600V/700V Resistance 600Ω/6kΩ/60kΩ/600kΩ/6MΩ Capacitance 600nF/6μF/60μF/600μF/1000μF Packed by color box	81.68	12.25	93.93
HKNS1802	Snap-Off blade Knife		Blade Size:18mmx100mm With 5pcs blades pack by double blister	4.42	0.66	5.08
HKNS1803	Snap-off blade knife		Blade Size: 18mmx100mm With 1 pcs blade Length: 158mm With flat push button Packed by pp plastic hanger	2.93	0.44	3.36
HKNSB181	10pcs Blade set		10pcs blade size:18x100mm pack by plastic box	1.30	0.20	1.50
HCG0112	Aluminium Caulking Gun		Aluminium,length:250mm, Diameter:51mm with 1pcs plastic adaptor Packed by poly bag	8.73	1.31	10.04
HCG0309	Caulking gun		9" Caulking gun Iron thickness: 0.8mm Length: 310mm Diameter: 51mm Packed by poly bag	2.60	0.39	2.99
HFOR321	Folding hand Riveter		Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4 mm Packed by color box	24.46	3.67	28.12
HR103	Hand Riveter		Size:10.5" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Aluminium alloy body Packed by sliding card	9.49	1.42	10.91
HKSS0121	Screwdriver Set		21pcs screwdriver set 1pc T-bar screwdriver 9pcs sockets 1pc 1/4"x25mm adaptor 10pcs Cr-V bits Packed by sliding card	3.91	0.59	4.50
HKSS0240	Screwdriver Set		40pcs screwdriver set 14pcs sockets 1pc 1/4"x25mm adaptor 23pcs Cr-V bits 1PC 60mm magnetic holder 1PC Ratchet holder Packed by BMC+color sleeve	8.33	1.25	9.58
HS08T10100	Torx screwdriver		CR-V,T10, Hex shank diameter: 5.0mm length: 100mm Packed by plastic hanger Inner box is color box	1.40	0.21	1.61
HS03T20150	Torx screwdriver		CR-V,T20, Hex shank diameter: 6.0mm length: 150mm Packed by plastic hanger Inner box is color box	1.68	0.25	1.93
HS08PZ1100	Pozidriv screwdriver		CR-V,PZ1, Hex shank diameter: 5.0mm length: 100mm Packed by plastic hanger Inner box is color box	1.40	0.21	1.61







HS08PZ2150	Pozidriv screwdriver		CR-V,PZ2, Hex shank diameter: 6.0mm length: 150mm Packed by plastic hanger Inner box is color box	2.02	0.30	2.32
HS085100	Slotted Screwdriver		Cr-V, Hex shank Slotted: 5.5mm Diameter: 5.0mm Length: 100mm Packed by plastic hanger Inner box is color box	1.37	0.20	1.57
HS08PH1100	Philips Screwdriver		CR-V,PH1, Hex shank Diameter: 5.0mm length: 100mm Packed by plastic hanger Inner box is color box	1.37	0.20	1.57
HS086150	Slotted Screwdriver		Cr-V, Hex shank Slotted: 6.5mm Diameter: 6.0mm Length: 150mm Packed by plastic hanger Inner box is color box	1.82	0.27	2.09
HS08PH2150	Philips Screwdriver		CR-V,PH2, Hex shank diameter: 6.0mm length: 150mm Packed by plastic hanger Inner box is color box	1.82	0.27	2.09
HKSD0608	6 pcs screwdriver set		6 pcs screwdriver set Material: CR-V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150 1pcs PH1*5*75 1pcs PH1*5*100 1pcs PH2*6*150 Packed by double blister and display box	10.14	1.52	11.66
HKSD0611	6 pcs precision Screwdriver bit		6 pcs precision screwdriver Included:PH1, PH0, SL1.4 , SL2.0, SL2.4, SL3.0 Packed by plastic box+color box	4.88	0.73	5.61
HHK04081	Hex Key		8pcs hex key(Pocket) Cr-V 2-8mm Packed by double blister	4.55	0.68	5.23
HHK02091	Hex key		9pcs ball point hex key set Cr-V 1.5-10mm Packed by double blister	5.46	0.82	6.28
HHK01091	Hex Key		9pcs hex key set Cr-V 1.5-10mm Packed by double blister	5.07	0.76	5.83
HMH020500	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 500g	5.79	0.87	6.65
HMH021000	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 1000g	7.69	1.15	8.84
HMH020300	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 300g	4.42	0.66	5.08
HMH022000	Machinist Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 2000g	11.67	1.75	13.42
HBP02016	Ball Pein hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 16oz/450g	5.20	0.78	5.98
HBP02048	Ball Pein hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 48oz/1300g	10.21	1.53	11.74
HCH0216	Claw Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 16oz/450g	6.37	0.96	7.33
HCH0208	Claw Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 8oz/220g	4.23	0.64	4.87







HCH0116	Claw hammer		All steel drop-forged claw hammer Heat treatment 16oz/450g Packed by poly bag	14.45	2.17	16.62
HRPH0140	Rubber and Plastic Hammer		Hammer diameter:40mm with Fiberglass handle	7.23	1.08	8.31
HBPH02024	Ball Pein Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 24oz/660g	6.83	1.02	7.85
HSTH0125	2.5Lb Stoning Hammer		All steel drop-forged stoning hammer Heat treatment 2.5lb//1130g Packed by poly bag	17.99	2.70	20.68
HRUH0208	Rubber Hammer		Fiberglass handle 8oz/220g	3.90	0.59	4.49
HRUH0216	Rubber Hammer		Fiberglass handle 16oz/450g	5.07	0.76	5.83
HSTH0202	Stoning Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 1000g	7.80	1.17	8.97
HSTH0204	Stoning Hammer		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 2000g	12.35	1.85	14.20
HAX020600	Axe		Drop-forged hammerhead Heat treatment, 45# carbon steel Fiberglass handle 600g	15.79	2.37	18.16
HSM01591	Sledge hammer		Weight:5kg ,Precision casting Heat treatment, 45# carbon steel With plastic handle Handle leight: 900mm Packed by carton box	50.57	7.59	58.16
HKSPA1081	Combination Spanner Set		8pcs combination spanner set Size:6-19mm 6mm,8mm,10mm,12mm,14mm,15 mm,17mm,19mm Fine polished Packed by plastic hanger	17.06	2.56	19.62
HKSPA2081	Double Open End Spanner set		8pcs double open end sapnner set Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13m m, 14x15mm,16x17mm,18x19mm,20x 22mm Fine polished Packed by plastic hanger	18.91	2.84	21.74
HKSPA3081	Offset Ring Spanner		8pcs offset ring spanner set Size:6-19mm 6x7mm,8x9mm,8x10mm,10x11mm 12x13mm,14x15mm,16x17mm,18x 19mm Fine polished Packed by plastic hanger	24.37	3.66	28.03
HKSPA1082	Combination spanner set		8pcs combination spanner set Size: 6-19mm 6mm,8mm,10mm,12mm,14m m,15mm,17mm,19mm Fine polished Packed by plastic hanger	17.07	2.56	19.63
HKSPA2082	Double open end sapnner set		8pcs double open end sapnner set Size: 6-22mm 6x7mm,8x9mm,10x11mm,12 x13mm, 14x15mm,16x17mm,18x19m m,20x22mm Fine polished Packed by plastic hanger	18.90	2.84	21.74
HKSPA3082	Offset ring spanner set		8pcs offset ring spanner set Size: 6-22mm 6x7mm,8x9mm,10x11mm, 1 2x13mm,14x15mm,16x17mm ,18x19mm, 20x22mm Fine polished Packed by plastic hanger	24.38	3.66	28.03


















HKSPA1142	Combination spanner set		12pcs combination spanner set Size: 6-24mm 6mm,8mm,10mm,11mm, 12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm Fine polished Packed by pouch	37.05	5.56	42.61
HKSPA2142	Double open end spanner set		12pcs double open end spanner set Size: 6-32mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm,21X23mm,24X27mm,25X28mm,30X32mm Fine polished Packed by pouch	46.15	6.92	53.07
HKSPA3142	Offset ring spanner set		12pcs offset ring spanner set Size: 6-32mm 6x7mm,8x9mm,10x11mm,12x13mm,14x15mm,16x17mm,18x19mm,20x22mm,21X23mm,24X27mm,25X28mm,30X32mm Fine polished Packed by pouch	60.97	9.15	70.12
STS0108	Staples		1000pcs staples size:8mm Packed by color box	1.47	0.22	1.69
STS0112	Staples		1000pcs Staples Size:12mm Packed by color box	1.54	0.23	1.77
HRT0110	Rivet		Aluminium 50pcs/set Size:4x10mm Packed by poly bag with header card	1.01	0.15	1.16
HRT0112	Rivet		Aluminium 50pcs/set Size:4.8x12mm Packed by poly bag with header card	1.31	0.20	1.51
HRT0212	Rivet		Aluminium 50pcs/set Size:4x12mm Packed by poly bag with header card	1.19	0.18	1.37
HRT0116	Rivet		Aluminium 50pcs/set Size:4.8x16mm Packed by poly bag with header card	1.38	0.21	1.59
HRT04812	Rivet (250pcs)		Material: Aluminium Size:4.8 (D) x12 (L) mm, dk=9.5mm 250pcs/set Packed by color box Suitable for INGCO item HR091,HR101,HR102,HR103	7.41	1.11	8.52
HRT04816	Rivet (250pcs)		Material: Aluminium Size:4.8 (D) x16 (L) mm, dk=9.5mm 250pcs/set Packed by color box Suitable for INGCO item HR091,HR101,HR102,HR103	8.06	1.21	9.27
HSMT0410	Steel measuring tape		Length & width: 10mx12.5mm With metric and inch Packed by color box	4.23	0.63	4.86
HSMT0108.1	Steel Measuring Tape		Length & width:8mx25mm Self lock function With magnetic tip Only Metric Packed by color display box	5.23	0.78	6.01
HSMT0103	Steel Measuring Tape		Length & width:3mx16mm Self lock function With magnetic tip Only Metric Packed by color display box	2.28	0.34	2.62












HSMT0805	Steel Measuring Tape		Length & width:5mx25mm Self lock function With all rubber cover With metric and inch Packed by color display box	3.97	0.59	4.56
HSMT08052	Steel Measuring Tape		Length & width:5mx19mm Self lock function With magnetic tip Only Metric Packed by color display box	3.64	0.55	4.19
HFMT0150	Fibreglass measuring tape		Length & width:50mx12.5mm Packed by color box	11.31	1.70	13.00
HFMT0110	Fibreglass measuring tape		Length & width:10mx12.5mm Packed by color box	4.30	0.65	4.95
HFMT0120	Fibreglass measuring tape		Length & width:20mx12.5mm Packed by color box	6.39	0.96	7.34
HFMT0130	Fibreglass measuring tape		Length & width:30mx12.5mm Packed by color box	6.85	1.03	7.87
CHPTB0102	Paint Brush		100% pure bristles Width: 2" Bristle length: 51mm Thickness: 14.5mm Wooden handle	1.76	0.26	2.02
CHPTB0103	Paint Brush		100% pure bristles Width: 3" Bristle length: 57mm Thickness:16mm Wooden handle	2.92	0.44	3.36
CHPTB0104	Paint Brush		100% pure bristles Width: 4" Bristle length: 57mm Thickness:17.5mm Wooden handle	4.15	0.62	4.77
CHPTB0115	Paint brush		100% pure bristles Width: 1.5" Bristle length: 44mm Thickness: 13.5mm Wooden handle	1.30	0.20	1.50
CHPTB0101	Paint Brush		100% pure bristles Width: 1" Bristle length: 44mm Thickness: 12.5mm Wooden handle	0.98	0.15	1.12
CHPTB0125	Paint Brush		100% pure bristles Width: 2.5" Bristle length: 51mm Thickness: 15.5mm Wooden handle	2.00	0.30	2.30
HRC0323014	Roller Cover		Material:Acrylic fibres,9" Size:230mm Fibre height:14mm	1.84	0.28	2.12
HRHT03230	Cylinder Brush		Size:9", 230mm Fibre height:14mm Dia of central shank:7.4mm With 4pcs assistant shank With 1pcs roller cover Convenient and fast change the roller cover	4.30	0.65	4.95
CHPTT01370	Paint Tray		Size: 37x27cm	2.31	0.35	2.65
HKTCB2302	Roller Brush 3 in 1 set		Size:9", 230mm Fibre height:14mm Dia of central shank:6mm With 1pcs Roller handle With 1pcs roller cover With 1pcs Paint tray size:36.5*27*6 cm Packed by shrink	6.54	0.98	7.52
HAS023501	Aluminium Steel Angle Square		Aluminium Steel Angle Square Size: 350mm/14" Width: 39mm Thickness: 1mm Metric and inch Picked by plastic bag	4.55	0.68	5.23
HSL02100	Spirit Level		Length: 100cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	16.25	2.44	18.69
HSL02200	Spirit Level		Length: 200cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	26.06	3.91	29.97

HSL02080	Spirit Level		Length: 80cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	13.65	2.05	15.70
HSL02120	Spirit Level		Length: 120cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	19.50	2.93	22.43
HSL02150	Spirit Level		Length: 150cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	22.10	3.32	25.42
HSL02030	Spirit Level		Length: 30cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	6.08	0.91	6.99
HSL02040	Spirit Level		Length: 40cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	7.31	1.10	8.41
HSL02060	Spirit Level		Length: 60cm,Aluminum thickness:1.5mm,2 side milled V-shape slot for measuring objects with round surface	11.70	1.76	13.46
HLL6502	Cross & Line Laser Level		Laser power:≤1mw Laser wavelength: 650nm Accuracy:±1mm/m Self leveling scope: ±4° Self leveling time: <8sec It can emit the cross line With telescopic tripod	174.69	26.20	200.89
HDMW01	Digital Display measuring Wheel		With digital display and memory With metric and inch dual system With stand Display resolution:0.1m Tolerance:±5% Measuring range:0-9999m Power supply:2xLR3 batteries Packed by color box	49.28	7.39	56.67
ALS25401	Line Spool		Line diameter:2.5mm Line length:4M For INGCO GGT25381 gasoline grass trimmer Packed in plastic bag + Header	7.53	1.13	8.66
ALS50201	Line Spool		Line diameter:5mm Line length:2M For INGCO GBC32441 gasoline grass trimmer Packed in plastic bag + Header	10.91	1.64	12.55
ALS12601	Line Spool		Line diameter:1.2mm Line length:6M For INGCO GT3501 grass trimmer Packed in plastic bag + Header	3.00	0.45	3.46
FD1153	Flap disc		Size: 115mm*22mm,P80 suitable for high steel , steel, cast iron and sheet steel , Packed in single blister	2.80	0.42	3.21
AKSDS0301	3pcs step drill bit set		3 pcs step drill bit set 1pcs 4-12mm, 1mm/step, Shank diameter: 6mm 1pcs 4-20mm, 2mm/step, Shank diameter: 8mm 1pcs 4-32mm, 2mm/step, Shank diameter: 10mm Material: HSS Applies to Steel Plate thickness≤3mm Packed by wood box	29.90	4.49	34.39



















HKPP0601	Pin Punch set		<p>6pcs Pin Punch SIZE: 1/16"(1.5mm)*1/4"(6mm)*6" (152mm) 1/8"(3mm)*5/16"(8mm)*6" (152mm) 5/32"(4mm)*5/16"(8mm)*6" (152mm) 3/16"(5mm)*5/16"(8mm)*6" (152mm) 1/4"(6mm)*3/8"(10mm)*6" (152mm) 5/16"(8mm)*3/8"(10mm)*6" (152mm) Packed in plastic box Same as STANLEY quality</p>	13.65	2.05	15.70
INDUSTRIAL HKPP1201	Cold chisel and punch set		<p>12pcs Cold chisel and punch set SIZE: 2pcs center punch: 1/14"(6mm)x3/8"(10mm)x4" (102mm) 5/16"(8mm)x7/16"(11mm)x4- 1/2"(115) 1pcs solid punch 3/32"(2.0mm)x3/8"(10mm)x 5-1/2"(140mm) 6PCS PIN PUNCH 1/16"(1.5mm)x1/4"(6mm)x6" (152mm) 1/8"(3mm)x5/16"(8mm)x6" (152mm) 5/32"(4mm)x5/16"(8mm)x6" (152mm) 3/16"(5mm)x5/16"(8mm)x6" (152mm) 1/4"(6mm)x3/8"(10mm)x6" (152mm) 5/16"(8mm)x3/8"(10mm)x6" (152mm) 3pcs cold chisel 3/8"(10mm)x5/16"(8mm)x5- 9/16"(142mm) 1/2"(13mm)x3/8"(10mm)x6" (152mm) 5/8"(16mm)x1/2"(13mm)x6- 3/4"(172mm) Packed in plastic box</p>	28.47	4.27	32.74
ASE001	Screw extractor set		<p>CrV Size: 3~6mm, 6~8mm, 8~11, 11~14, 14~18 Hardness: 48~52HRC Coarse thread Packed by plastic box</p>	6.31	0.95	7.25
DBAC0301	Adjustable tile hole cutter		<p>Adjustable size: 30- 100mm Material: carbon steel heat treated, Chrome-Plated with TCT blade Packed by hanger card</p>	5.53	0.83	6.35
AK08351	35pcs Drill bits set		<p>35pcs drill bit set 6pcs HSS Ti-coated bit 2,3,4,5,6,6.5mm 6pcs wood drill bit 3,4,5,6,8,10mm 6pcs masonry drill bit 3,4,5,6,8,10mm 5pcs socket 4,5,6,7,8mm,length:20.5mm 10pcs screwdriver bits,length:25mm,SL4,5,6;PH 2,3,4;PZ1,2,3,4. 1pcs magnetic holder length:60mm 1pcs light flash Packed in plastic box</p>	43.81	6.57	50.38
AKD2051	SDS plus Hammer drill bit set		<p>5 PCS SDS PLUS KIT 6X110mm,8X110mm,10X110mm, 10X160mm,12X160mm Packed in plastic box</p>	9.88	1.48	11.36

DBT1110101	M2 HSS Drill Bit		M2 HSS,diameter:1mm Total length:26mm Usable length:6mm 20pcs/plastic box	4.61	0.69	5.30
DBT1110201	M2 HSS Drill Bit		M2 HSS,diameter:2mm Total length:49mm Usable length:24mm 20pcs/plastic box	5.75	0.86	6.61
DBT1110301	M2 HSS Drill Bit		M2 HSS,diameter:3.0mm Total length:61mm Usable length:33mm 20pcs/plastic box	14.20	2.13	16.33
DBT1110401	M2 HSS Drill Bit		M2 HSS,diameter:4.0mm Total length:75mm Usable length:43mm 10pcs/plastic box	11.83	1.77	13.60
DBT1110501	M2 HSS Drill Bit		M2 HSS,diameter:5.0mm Total length:86mm Usable length:52mm 10pcs/plastic box	15.21	2.28	17.49
DBT1110601	M2 HSS Drill Bit		M2 HSS,diameter:6.0mm Total length:93mm Usable length:57mm Packed by plastic tube	2.60	0.39	2.99
DBT1110651	M2 HSS Drill Bit		M2 HSS,diameter:6.5mm Total length:101mm Usable length:63mm Packed by plastic tube	3.12	0.47	3.59
DBT1110701	M2 HSS Drill Bit		M2 HSS,diameter:7.0mm Total length:109mm Usable length:69mm Packed by plastic tube	3.71	0.56	4.26
DBT1110801	M2 HSS Drill Bit		M2 HSS,diameter:8.0mm Total length:117mm Usable length:75mm Packed by plastic tube	4.75	0.71	5.46
DBT1110901	M2 HSS Drill Bit		M2 HSS,diameter:9.0mm Total length:125mm Usable length:81mm Packed by plastic tube	5.98	0.90	6.88
DBT1111001	M2 HSS Drill Bit		M2 HSS,diameter:10mm Total length:133mm Usable length:87mm Packed by plastic tube	7.61	1.14	8.75
DBT1111101	M2 HSS Drill Bit		M2 HSS,diameter:11mm Total length:142mm Usable length:94mm Packed by plastic tube	8.97	1.35	10.32
DBT1111201	M2 HSS Drill Bit		M2 HSS,diameter:12mm Total length:151mm Usable length:101mm Packed by plastic tube	10.79	1.62	12.41
DBT1111301	M2 HSS Drill Bit		M2 HSS,diameter:13mm Total length:151mm Usable length:101mm Packed by plastic tube	12.55	1.88	14.43
DBT1111601	M2 HSS Drill Bit		M2 HSS,diameter:16mm Total length:178mm Usable length:120mm Packed by plastic tube	23.21	3.48	26.69
DBT1112001	M2 HSS Drill Bit		M2 HSS,diameter:20mm Total length:205mm Usable length:140mm Packed by plastic tube	48.36	7.25	55.61
DBM111031	Masonry Drill Bit		Same as BOSCH blue granite quality level High quality TCT tip Chrome alloy steel shank Black and white finish 3 X 60mm Packed by plastic tube	0.85	0.13	0.97
DBM111041	Masonry Drill Bit		4X75mm Packed by plastic tube	0.98	0.15	1.12
DBM111161	Masonry Drill Bit		16X150mm Packed by plastic tube	4.81	0.72	5.53
DBM111061	Masonry Drill Bit		6X100mm Packed by plastic tube	1.37	0.20	1.57
DBM111081	Masonry Drill Bit		8X120mm Packed by plastic tube	1.89	0.28	2.17
DBM111102	Masonry Drill Bit		10X150mm Packed by plastic tube	2.80	0.42	3.21
DBM111121	Masonry Drill Bit		12X150mm Packed by plastic tube	3.06	0.46	3.51

DBW2210601	Wood flat drill bit		Same as Dewalt quality Alloy steel,hardened& tempered With 1/4" hex shank Quick release flute 6mm,total length:152mm Packed in double blister	2.47	0.37	2.84
DBW2210801	Wood flat drill bit		8mm ,total length:152mm Packed in double blister	2.54	0.38	2.92
DBW2211001	Wood flat drill bit		10mm ,total length:152mm Packed in double blister	2.60	0.39	2.99
DBW2211201	Wood flat drill bit		12mm ,total length:152mm Packed in double blister	2.67	0.40	3.06
DBW2211401	Wood flat drill bit		14mm ,total length:152mm Packed in double blister	2.80	0.42	3.21
DBW2211601	Wood flat drill bit		16mm ,total length:152mm Packed in double blister	2.86	0.43	3.29
DBW2211801	Wood flat drill bit		18mm ,total length:152mm Packed in double blister	2.93	0.44	3.36
DBW2212001	Wood flat drill bit		20mm ,total length:152mm Packed in double blister	3.06	0.46	3.51
DBW2213001	Wood flat drill bit		30mm ,total length:152mm Packed in double blister	3.84	0.58	4.41
DBW2213201	Wood flat drill bit		32mm ,total length:152mm Packed in double blister	4.03	0.60	4.63
DBW2213801	Wood flat drill bit		38mm ,total length:152mm Packed in double blister	4.55	0.68	5.23
SDB11PH211	Screwdriver Bits Set		PH2,25mm,12pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11PH221	Screwdriver Bits Set		PH2,50mm,6pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11PZ211	Screwdriver Bits Set		PZ2,25mm,12pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11PZ221	Screwdriver Bits Set		PZ2,50mm,6pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11SL411	Screwdriver Bits Set		SL6.0*1.0,25mm,12pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB11SL421	Screwdriver Bits Set		SL6.0*1.0,50mm,6pcs/set S2 industrial steel Nickle plated,megnetic Packed by plastic box	2.70	0.40	3.10
SDB21HL131	Screwdriver Bits Set		PH2+SL6.0,65mm,6pcs/set S2 industrial steel double end bit Nickle plated,megnetic Packed by plastic box	3.31	0.50	3.81
MCD301001	Abrasive Cutting Disc		100X3.0X16.0MM	1.08	0.16	1.24
MCD301251	Abrasive Cutting Disc		125X3.0X22.2MM	1.48	0.22	1.70
MGD601151	Abrasive Grinding Disc		115X6.0X22.2MM	2.15	0.32	2.47
MCD302301	Abrasive Cutting Disc		230X3.0X22.2MM	5.07	0.76	5.83
MGD602301	Abrasive Grinding Disc		230X6.0X22.2MM	7.16	1.07	8.23
MGD601801	Abrasive Grinding Disc		180X6.0X22.2MM	4.70	0.70	5.40
MGD601251	Abrasive Grinding Disc		125X6.0X22.2MM	2.54	0.38	2.92
MCD303551	Abrasive Cutting Disc		355X3.0X25.4MM	7.53	1.13	8.66
MCD301801	Abrasive Cutting Disc		180X3.0X22.2MM	2.92	0.44	3.36
MCD301151	Abrasive Cutting Disc		115X3.0X22.2MM	1.38	0.21	1.59
MCD121151	Abrasive Cutting Disc		115X1.2X22.2MM	1.30	0.20	1.50
MGD601001	Metal Grinding Disc		100X6.0X16MM	1.62	0.24	1.86
MCD121001	Metal Cutting Disc		100X1.2X16.0MM Same as Dewalt quality	0.85	0.13	0.98
SCD301151	Abrasive stone cutting disc		115X3.0X22.2MM cutting disc for stone	1.40	0.21	1.61
SCD302301	Abrasive stone cutting disc		230X3.0X22.2MM cutting disc for stone	4.26	0.64	4.90
TSB125425	254MM TCT Saw Blade		254mm(10") 40T,arbor:30mm 16mm and 25.4 ring Suitable for table saw For INGO item TS15004	16.91	2.54	19.45












TSB221022	TCT Saw Blade		210mm(8-1/4") 48T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS12001	14.30	2.14	16.44
TSB230523	TCT Saw Blade		305mm(12") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMIS16001	32.52	4.88	37.40
TSB321023	TCT Saw Blade		210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For INGCO item BMS12001	17.30	2.60	19.90
DMD011101	110MM Diamond Cutting Discs		110X20mm Blade width:7.5mm Packed in color box	7.23	1.08	8.31
HMAC081016	Mini American type clamp		Width:8mm- 50pcs per pack Nut:M6 Range:10~16mm Stainless steel ring and steel nut Antirust and mirror finish treatment Packed in plastic bag-	19.50	2.93	22.43
HMAC081319	Mini American type clamp		Width:8mm- 50pcs per pack Nut:M6 Range:13~19mm Stainless steel ring and steel nut Antirust and mirror finish treatment Packed in plastic bag	22.75	3.41	26.16
HAC1271325	American type clamp		Width:12.7mm- 10pcs per pack Nut:M8 Range:13~25mm Stainless steel ring and steel nut Antirust and mirror finish treatment Packed in plastic bag	6.50	0.98	7.48
HAC1272751	American type clamp		Width:12.7mm- 10pcs per pack Nut:M8 Range:27~51mm Stainless steel ring and steel nut Antirust and mirror finish treatment Packed in plastic bag	8.45	1.27	9.72
HAC1275276	American type clamp		Width:12.7mm- 10pcs per pack Nut:M8 Range:52~76mm Stainless steel ring and steel nut Antirust and mirror finish treatment Packed in plastic bag	11.05	1.66	12.71
HPL01300	Planer		Length:235mm Steel Q195 Planing width&depth:44x2mm Packed by hanger card	6.43	0.96	7.39
HPC0342	PVC Pipe Cutter		Length:200mm Cutting diameter:3-42mm Packed by double blister	6.15	0.92	7.07
HPC0442	PVC Pipe Cutter		Length:225mm Cutting diameter:3-42mm Packed by double blister	9.60	1.44	11.04
HSG1403	Staple Gun		Iron staple gun Adjustable driving force size: 4-14mm Packed by double blister	7.99	1.20	9.19
HDCD01150	Digital Caliper		Range:0-150mm Reading:0.01mm,metric/inch system conversion at any position,metal housing Packed by plastic box	32.67	4.90	37.57

HDCD01200	Digital Caliper		Range:0-200mm Reading:0.01mm,metric/inch system conversion at any position,metal housing Packed by plastic box	39.00	5.85	44.85
DM200	Pocket Sized Digital Multimeter		1999 counts LCD Display Backlight DC Voltage 200mV/2V/20V/200V/600V AC Voltage 200V/600V DC Current 200µA/2mA/20mA/200mA/10A Resistance 200Ω/2kΩ/20kΩ/200kΩ/2MΩ Packed by color box	20.80	3.12	23.92
HBP02250	Block Planer		Length:250mm Bolck planer It can be changed blade. Packed by hanger card	9.22	1.38	10.61
HPLB2501	Planer Blade		Length:250mm,carbon steel,black plat Packed by polybag+header	1.93	0.29	2.22
HFJ201	Hydraulic Floor Jack		Hydraulic floor jack, 2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight: 8.7kg Packed by color box	52.27	7.84	60.11
HTB02	Tool Box		Size:495x200x290mm Steel thickness: 0.6~0.8mm Net weight: 5.5kg Packed by carton	53.30	8.00	61.30
HTC02600	Tile Cutter		Multi-function:direct line cutting, diagonal line cutting Max cutting length:600mm Base size:83x16cm Diameter of blade:22mm Steel base, aluminium support parts, aluminium square ruler Tungsten carbide blade Packed by color box	43.81	6.57	50.38
HRTH0214	Ratchet Handle		Length:135mm Size:1/4" DR Surface: bright chrome , Material:Cr-V Packed by plastic hanger	6.99	1.05	8.04
HRTH0212	Ratchet Handle		Length:245mm Size:1/2" DR Surface: bright chrome , Material:Cr-V Packed by plastic hanger	9.78	1.47	11.25
HKTS0241	Socket Set		25pcs Socket set 1/2" 18pcs 1/2" CRV DR. Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 2pcs 1/2" DR. Extension bar 1pcs 1/2" DR. Sliding T bar 1pcs 1/2" DR. Universal joint 1pcs 1/2" DR. Speeder handle 1pcs 1/2" DR. Quick ratchet handle 1pcs metal case	75.33	11.30	86.62
HADW131081	Adjustable wrench		Length:250mm(8"),CrV Adjustable clamp size:0-30mm Two color rubber handle Packed by plastic hanger	7.97	1.19	9.16
HADW131101	Adjustable wrench		Length:250mm(10"),CrV Adjustable clamp size:0-35mm Two color rubber handle Packed by plastic hanger	10.97	1.65	12.62
HADW131121	Adjustable wrench		Length:300mm(12"),CrV Adjustable clamp size:0-40mm Two color rubber handle Packed by plastic hanger	15.79	2.37	18.16
HBV024	Bench Vice		Swivel base,Size: 4" With anvil Weight:6kg clamping force(KN) 600 Packed by carton	51.99	7.80	59.79

HBV026	Bench Vice		Swivel base,Size: 6" With anvil Weight:12kg clamping force(KN) 1000 Packed by carton	92.86	13.93	106.79
HCCB0208	Cable cutter		Size:8" 55# Carbon steel Packed by plastic hanger	5.20	0.78	5.98
HWSP03	Wire stripper		Cutting size: 0.5-6mm Packed by sliding card	4.40	0.66	5.06
HWSP04	Wire Stripper		Size: 180mm/9" Blade material:65Mn Zinc alloy pack by double blister	8.39	1.26	9.64
HRP08200	8" Rabbit Pliers		Cr-V,satin finish, 200mm, 8" Packed by plastic hanger Inner box is color box	6.57	0.98	7.55
HCPP08200	Carpenters Pliers		Cr-V,satin finish, 200mm, 8" Packed by plastic hanger Inner box is color box	6.44	0.97	7.40
HRP01250	10" Rabbit Pliers		Cr-V,satin finish, 250mm,10" Packed by plastic hanger Inner box is color box	7.16	1.07	8.23
HPP08250	10" Pump Pliers		Cr-V,satin finish, 250mm,10" Packed by plastic hanger Inner box is color box	7.74	1.16	8.90
HHDCP01180	7" Heavy-Duty Diagonal Cutting Pliers		Cr-V,satin finish, 180mm, 7" Packed by plastic hanger Inner box is color box	5.38	0.81	6.19
HCP08200	8" Combination Pliers		Cr-V,satin finish, 200mm,8" TPR two color handle Packed by plastic hanger Inner box is color box	6.00	0.90	6.89
HWSP01160	6" Wire Stripping Pliers		Cr-V,satin finish,160mm, 6" Packed by plastic hanger Inner box is color box	5.16	0.77	5.93
HLNP08160	6" Long Nose Pliers		Cr-V,satin finish, 160mm, 6" Packed by plastic hanger Inner box is color box	4.49	0.67	5.16
HECP08160	6" End Cutting Pliers		Cr-V,satin finish, 160mm, 6" Packed by plastic hanger Inner box is color box	6.44	0.97	7.40
HDCP08180	7" Diagonal Cutting Pliers		Cr-V,satin finish, 180mm, 7" Packed by plastic hanger Inner box is color box	5.72	0.86	6.58
HBNP08160	6" bent Nose Pliers		Cr-V,satin finish, 160mm, 6" Packed by plastic hanger Inner box is color box	4.42	0.66	5.08
HCJLW0110	Curved Jaw Lock Wrench		Cr-V Size:10" HRC52-HRC56 Packed by double blister	7.53	1.13	8.66
HSP0107	Seal Plier		Size:7" HRC38-HRC45 Material:45# carbon steel Nickel plating Packed by half double blister	6.37	0.96	7.33
HCCLW0111	C-Clamp Lock Wrench		C type Size:11" Packed by plastic hanger	7.80	1.17	8.97
HQSC0104	Spring clamp		Size: 4" Length: 113mm Black clip body Max open mouth: 31mm Packed by plastic bag	1.63	0.24	1.87
HQSC0106	Spring clamp		Size: 6" Black clip body Length: 159mm Max open mouth: 54mm Packed by plastic bag	2.41	0.36	2.77
HGP01033	Gear Puller 3 Jaws		Size:3", 3 Jaws Surface treatment: zinc-plated Range of application:15-80mm Packed by poly bag	12.94	1.94	14.88
HGP01034	Gear Puller 3 Jaws		Size:4", 3 Jaws Surface treatment: zinc-plated Range of application:20-120mm Packed by poly bag	19.76	2.96	22.72








HGP01036	Gear Puller 3 Jaws		Size:6", 3 Jaws Surface treatment: zinc-plated Range of application:25-160mm Packed by poly bag	23.92	3.59	27.51
HKTWB0301	3pcs Abrasive Brush Set		Size:7" Plastic handle Three mini cleaning brushes with nylon,brass,and wire bristles packed by shrink blister	2.15	0.32	2.47
HKTF61	6pcs File Set		6pcs File set size: 4" long; diameter: 3mm Packed by double blister	3.00	0.45	3.46
HSHF088	Half Round Steel File		Length:200mm, T12 Steel Packed by plastic hanger	4.29	0.64	4.93
HWFF088	Flat Wood File		Length:200mm, T12 Steel Packed by plastic hanger	3.51	0.53	4.04
HWHF088	Half Round Wood File		Length:200mm, T12 Steel Packed by plastic hanger	4.03	0.60	4.63
HASA060604	Shield Anchor		Thread diameter:M6 Sleeve diameter:8mm Total length:60mm Sleeve length:40mm	0.63	0.09	0.72
HASA060754	Shield Anchor		Thread diameter:M6 Sleeve diameter:8mm Total length:75mm Sleeve length:40mm	0.66	0.10	0.76
HASA080752	Shield Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:75mm Sleeve length:50mm	0.91	0.14	1.04
HASA080754	Shield Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:75mm Sleeve length:40mm	0.89	0.13	1.03
HASA081005	Shield Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:100mm Sleeve length:50mm	0.98	0.15	1.12
HASA101001	Shield Anchor		Thread diameter:M10 Sleeve diameter:12mm Total length:100mm Sleeve length:60mm	1.19	0.18	1.37
HASB060754	Shield Anchor		Thread diameter:M6 Sleeve diameter:8mm Total length:75mm Sleeve length:40mm	0.94	0.14	1.08
HASB080955	Shield Anchor		Thread diameter:M8 Sleeve diameter:10mm Total length:95mm Sleeve length:50mm	1.23	0.18	1.41
HASB101156	Shield Anchor		Thread diameter:M10 Sleeve diameter:12mm Total length:115mm Sleeve length:60mm	1.37	0.21	1.57
HASC0604	Shield Anchor		Thread diameter:M6 Sleeve diameter:8mm Sleeve length:40mm	0.63	0.09	0.72
HASC0805	Shield Anchor		Thread diameter:M8 Sleeve diameter:10mm Sleeve length:50mm	0.91	0.14	1.04
HASC1006	Shield Anchor		Thread diameter:M10 Sleeve diameter:12mm Sleeve length:60mm	1.20	0.18	1.38
HCLR0130	Chalk Line Reel		Chalk line reel Length: 30m With 1 bottle chalk With 1 pcs spirit bubble Packed by double blister	5.20	0.78	5.98
HFC020501	F Clamp		Clamp size:50x150mm Thickness and width of iron ruler:5X15mm Length of plastic handle:90mm Diameter of screw thread:11mm Packed by poly bag	3.77	0.57	4.34
HFC020502	F Clamp		Clamp size:50x200mm Thickness and width of iron ruler:5X15mm Length of plastic handle:90mm Diameter of screw thread:11mm Packed by poly bag	4.00	0.60	4.60

HFC020503	F Clamp		Clamp size:50x250mm Thickness and width of iron ruler:5X15mm Length of plastic handle:90mm Diameter of screw thread:11mm Packed by poly bag	4.08	0.61	4.69
HFC020802	F Clamp With Plastic Handle		Clamp size:80x300mm Thickness and width of iron ruler:6X22mm Length of plastic handle:115mm Diameter of screw thread:13mm Packed by poly bag	7.07	1.06	8.13
HPT280115	Plastering Trowel		Size:280x115mm ABS plastic handle plastering trowel Spring steel	5.07	0.76	5.83
HPT280130	Plastering Trowel		Size:280x130mm ABS plastic handle plastering trowel Spring steel	5.23	0.78	6.01
HBT01150	Bricklaying Trowel		Size: 150mm Brick laying trowel ABS plastic handle	3.07	0.46	3.54
HPW0310	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:10"(250mm) Max clamping diameter:34mm	7.15	1.07	8.22
HPW0312	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:12" (300mm) Max clamping diameter:42mm	8.58	1.29	9.87
HPW0314	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:14" (350mm) Max clamping diameter:50mm	10.73	1.61	12.33
HPW0318	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:18" (450mm) Max clamping diameter:60mm	13.30	2.00	15.30
HPW0324	Pipe wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:24" Max clamping diameter:76mm	20.96	3.14	24.11
HPW0336	Pipe Wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:36" Max clamping diameter:76mm	36.13	5.42	41.54
HPW0348	Pipe wrench		Mobile jaw drop-forged with high quality carbon steel Inactivate treatment. Size:48" Max clamping diameter:110mm	53.38	8.01	61.39
HMBC0108	Mini bolt cutter		Cr-V blade Cutting edges induction quenched with comfortable pvc grips A lock in the end of handle Steel handle Size:200mm(8") Packed by sliding card	4.15	0.62	4.77
HBC0124	Bolt Cutter		Size:24" Cr-V blade Packed by poly bag	19.76	2.96	22.72
HBC0130	Bolt Cutter		Size:30" Cr-V blade Packed by poly bag	28.06	4.21	32.27
HBC0136	Bolt Cutter		Size:36" Cr-V blade Packed by poly bag	34.59	5.19	39.78
HHAS08400	Hand Saw		Length: 400mm, Thickness: 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	5.72	0.86	6.58

HHAS08550	Hand Saw		Length: 550mm, Thickness: 0.9mm, 7TPI With teeth protector Heat treatment Packed by hanger card	6.37	0.96	7.33
HHF3004	Hacksaw Frame		Size:300mm/12" Handle hack saw frame Including 1pcs saw blade Packed by poly bag	6.50	0.97	7.47
HHF3001	Hacksaw Frame		300mm handle hack saw frame, adjustable. Soft grip ,including 1pcs saw blade Packed by poly bag	9.29	1.39	10.69
HSBB12321	Bi-metal hacksaw blade		Size:300mm/12" Bi-metal blade Number of teeth: 32T Packed by plastic casing	1.30	0.20	1.50
HSB12321	Hacksaw blade		Size:300mm/12" Material:60# carbon steel Number of teeth: 32T Packed by Plastic casing	0.39	0.06	0.45
HCS3001	Compas saw		Size: 300mm/12" Gear grinding two sides Number of teeth: 7T Packed by poly bag	3.58	0.54	4.11
HBS6101	Bow Saw		Handle hack saw frame Size: 610mm/24" Including 1pcs saw blade Packed by poly bag	8.45	1.27	9.72
HMBS3001	Mitre box and back saw set		Plastic mitre box with back saw 1pcs plastic mitre box Size: 300×140×80 , thickness: 20mm 1pcs back saw Size: 300mm/12" Double Color Handle Packed by shrink film	11.38	1.71	13.08
HLR03	Lawn Rake (Not Including Handle)		24teeth, Distance of two teeth:13mm Width:400mm Length:370mm Length:1.5m With wood handle Packed by poly bag	6.22	0.93	7.15
HLT8101	Lopper		Length:810mm/32" Heat treatment blade Blade painted teflon Stress function on blade Packed by hanger card	24.13	3.62	27.76
HHS5901	Hedge Sheer		Length:590mm/23" Heat treatment blade Blade painted teflon Packed by hanger card	21.59	3.24	24.83
HGR03	Gravel Rake (Not Including Handle)		14teeth, Distance of two teeth:23mm Width:360mm Height:90mm Length:1.24m With wood handle Packed by poly bag	6.92	1.04	7.96
HCC0141016	Concrete Chisel		Head size:4mm Handle size:16mm Length:254mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	8.61	1.29	9.90
HCC0141219	Concrete Chisel		Head size:4mm Handle size:19mm Length:305mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	11.07	1.66	12.73
HCCL011910	Cold Chisel		Head size:19mm Handle size:16mm Length:254mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	8.45	1.27	9.72

HCCL012512	Cold Chisel		Head size:25mm Handle size:19mm Length:305mm OEM for STANLEY.Same as STANLEY quality level. Packed by plastic hanger	11.07	1.66	12.73
HCCL022412	Cold chisel		Head size:24mm Handle size:18mm Length:300mm Material: U71Mn steel Drop forged and heat treatment Packed by plastic hanger	6.05	0.91	6.95
HWC0106	Wood Chisel		Wood Chisel, CRV Width:6mm Packed by double blister	4.05	0.61	4.66
HWC0109	Wood Chisel		Wood Chisel, CRV Width 9mm Packed by double blister	4.19	0.63	4.82
HWC0114	Wood Chisel		Wood Chisel, CRV Width:14mm Packed by double blister	4.47	0.67	5.14
HWC0112	Wood Chisel		Wood Chisel, CRV Width:12mm Packed by double blister	4.40	0.66	5.06
HWC0116	Wood Chisel		Wood Chisel, CRV Width:16mm Packed by double blister	4.54	0.68	5.22
HWC0119	Wood Chisel		Wood Chisel, CRV Width:19mm Packed by double blister	4.61	0.69	5.30
HWC0122	Wood Chisel		Wood Chisel, CRV Width:22mm Packed by double blister	4.82	0.72	5.54
HWC0125	Wood Chisel		Wood Chisel, CRV Width:25mm Packed by double blister	4.96	0.74	5.71
HWB02250	Wire Brusher		Plastic handle Coated Copper Length:250mm Packed by double blister	2.34	0.35	2.69
AKH0121	12 Pcs Hole Saw Set		Hole saw 12pcs set Size:20mm,22mm,25mm,29mm,32mm,35mm,38mm,44mm,48mm,50mm,2pcs hole saw arbors Same as Irwin quality Packed by Aluminum case	105.85	15.88	121.72
ABCB01	Bush Cutter Blade		For INGCO GBC32441 gasoline grass trimmer Blade diameter:230mm(9") Blade teeth:three Packed in color card+poly bag	7.38	1.11	8.49
HSGW01	Welding Goggles		Flip design with open-close locking positioning, easy to use. Flexible PVC body, indirect ventilation design. Inner lenses are clear, outer lenses adopt colored inorganic glass.	2.31	0.35	2.65
RV02C	Reflection Vest		Conforms to EN471 Class 2 Common reflective strip + Oxford Polyester waistcoat Colour:Fluorescent Orange,Fluorescent Yellow	5.87	0.88	6.75
AHM002	Automatic Welding Shield		View size:96x43mm Light state Shade:4 Dark state Shade:9/13 Shade control:External Switching time:1/20000S Sensitivity control:Adjustable Power:Lithium batteries+Solar Operation Temp: -10°C-55°C Packed in color box	98.87	14.83	113.70
WM101	Helmet welding mask		Material:PP Helmet welding mask Glass size:108*50*3mm 1 pcs protection glass Packed by carton box	4.55	0.68	5.23
HS01	Safety Helmet		ABS Safety Helmet with 4 point suspension; Adjust head size by ratchet knob;	9.22	1.38	10.61

SSH02SB.40	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.41	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.42	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.43	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.44	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.45	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
SSH02SB.46	Safety Boots		Split leather upper Dual density pu sole Category of protective footwear: SB:steel toe cap Packed by color box	47.28	7.09	54.37
HSG02	Safety goggles		Has supple and lightweight PVC frame as well unique air hole design. High-impact polycarbonate lenses have high transparency comfortable for wearing.	2.02	0.30	2.32
HSG04	Safety Goggles		Integrated encircling type design gives flank protection The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use.	1.84	0.28	2.12
HSG05	Safety goggle		Conforms to ANSI Z87.1 and CE EN166; Full-view full-slice structure prevents UV and withstands impact; Fit to wearing the corrective glasses,also can be used as visitors glasses. Can defend against splash particles in the round Packed by double blister	2.31	0.35	2.66
HEM01	Ear Muffs		Impact-resistant ABS shell body,soft foam pad NRR:24dB Packed by header card	5.59	0.84	6.43
HEP02	Ear Plugs		Conforms to ear structure,safe and sanitary; Made from polyurethane foam,smooth and ultra supple; superior noise recuction effect, let operators keep acute hearing in noise ambient. Packed by poly bag	0.81	0.12	0.93
HDM03	Dust mask		Plastic-shelled filter disc replaceable respirator Packed by sliding card	1.08	0.16	1.24

HDM01	Dust mask		Description:EN 149:2001 CE0121 Made with Grade P2 compound materials.Special and soft foam is used as the inner layer of the bandage to ensure the best airtight on the face. FFP2 Inner box is color box	0.92	0.14	1.06
HDM02	Dust mask		Description:EN 149:2001 CE0121 Made with Grade P2 compound materials.Special and soft foam is used as the inner layer of the bandage to ensure the best airtight on the face. FFP2 Inner box is color box	1.08	0.16	1.24
HDM04	Dust mask		For protection against non-toxic dust,irritating pollen,cut grass, animal dander. Adjustable nose clip offers a secure fit . Suggested applications for dusty operations and gardening. Material: Polyester. Package:50pcs/box,1000pcs/c tn	0.35	0.05	0.40
HGVK02	Gloves		Description:10 gauge natural white polyester/cotton knitted work gloves with PVC dots on palm Size:9 (L) , 10 (XL)	1.23	0.18	1.41
HGVN01	Gloves		Heavy nitrile fully coated gloves Size:9 (L) , 10 (XL) Packed by color paper hanger	4.12	0.62	4.74
HGVC01	Gloves		Description:Cow split leather gloves cotton back & rubberized cuff,half lining Thickening of wear-resista	2.73	0.41	3.13
HGVW01	Welding leather gloves		Description:red cow split leather welder gloves, one piece back, full lining, KEVLAR thread sewn Length:14" Inner box is color box	7.09	1.06	8.15